

DESIGN **OPTIONS** Price List

MARCH 2017

03.31.17



haskell

ON TIME. COMPLETE. CORRECT.

TABLE OF CONTENTS

INFORMATION FOR ACTION

Company Information	02
Color Program	04
Product Specification	08

DESKING SYSTEM:

ELEMENTS

Corner Desks	10
Rectangle Desks	12
Sweeps	14
Bridges	15
Peninsulas	16
Mobile Docking Tables	19

TOP MOUNT PEDESTALS AND STORAGE:

ELEMENTS

Pedestals	20
Lateral Pedestals	22

OVERHEAD STORAGE:

ELEMENTS AND MERIT

Wall Mount	24
Desk Mount	25
Overshelf Tops	27
Flipper Doors	28

PRIVACY:

ELEMENTS

Privacy Tiles	30
---------------------	----

RECEPTION COUNTERS:

ELEMENTS

Transaction Tops	34
------------------------	----

POWER:

ELEMENTS AND TRAINING TABLES

4 Circuit System	36
Daisy Chain System	38

ACCESSORIES

Desk Accessories	40
Overhead and Privacy Tile Accessories	41

TRAINING TABLES

TR Series	42
WA Series	44

TABLES

Static "T" Tables	45
Folding Tables	46
Nesting Tables	47
Round/Square Tables	48

FILING

12" Lateral Files	49
Vertical Files	50

STORAGE

Storage Towers	51
Storage Cabinets	52
Combination Cabinets	53
Overfile Storage	53
Bookcases	54

MERIT

Double Pedestal Desks	56
Single Pedestal Desks	57
Returns	58
Bridges	58
Corners	58
Peninsulas	58

INFORMATION FOR ACTION

DESIGN OPTIONS TEAM

- **Alan Robins** CEO
arobins@designoptions.com
- **Gary Chrisman** Production Team Manager
gchrisman@designoptions.com

DESIGN OPTIONS HOURS

Monday through Friday
8:00 AM - 5:00 PM EST

TELEPHONE

616 988 0881

FAX

616 988 0892

WEBSITE

www.designoptions.com

DESIGN OPTIONS RESPONDS

At Design Options our staff is ready and willing to respond to your needs. We are here to offer you the perfect solution for your desking system requirements. We are committed to providing 100% satisfaction to each customer. Please contact us with any questions, comments, or concerns.

COMPANY OVERVIEW

Design Options has furniture dealers and reps all over the United States who are responsible for selling and servicing our products. By providing dealers and reps in the field to our customers, the customer is guaranteed a one-on-one personal experience. In turn we will provide product specification for your desking needs. To ensure that the correct parts are ordered, we encourage all of our dealers and customers to take advantage of our specification service by using our Giza department. Design Options will offer you the best solution for your desking and filing needs.

DESIGN OPTIONS PROVIDES THE FOLLOWING TO THEIR CUSTOMERS

- Quick turnaround for all specifications
- Quick turnaround for replacement parts
- Limited lifetime warranty
- 100% customer satisfaction

ABOUT THE DESKING SYSTEM ALTERNATIVE

Design Options offers a freestanding system of furniture, giving customers total solutions for working and learning environments. Freestanding desking systems are an increasingly popular choice in the office furniture community. Our desking systems accomplish the role of panel-based systems with: greater value, simplicity, less cost, and a more functional working environment. Our product surpasses panel-based systems by eliminating the complexity and expense of panels as well as the amount of space the panels deduct from the work area.

DESIGN OPTIONS FURNITURE

- Our desking systems are modular making them easier to specify in the field and easier to order than panel-based systems.
- Using freestanding desking systems is more cost effective than using panel-based systems.
- Design Options uses a building block approach to configure areas such as training rooms, executive offices, and basic offices. Our product is versatile and gives you the ability to easily expand in the future.
- Most of the desks that we offer are non-handed. This means they can easily be reconfigured in the field. Elements legs are easily switched to make a left a right and vice versa.
- Our desking systems have the option for a comprehensive electrical system. Standard in our Elements and training table lines, we offer an integrated wire management system that runs horizontally and vertically in our legs. This allows for a clean look when running power through tables.
- Design Options product is built to last. Our product offers a heavy gauge steel base along with excellent construction throughout the table to allow for durability and strength.

DESIGN OPTIONS PROMISES

At Design Options, we maintain the highest level of customer satisfaction. We remain solution oriented and we are committed to meeting the needs of our customers. We take pride in our commitment to quality and maximum flexibility.

INFORMATION FOR ACTION

GENERAL INFORMATION

PRODUCT NOTES The illustrations and specifications in this price list are accurate at time of printing. Design Options has the right to make changes to product, availability and specifications without notice. The colors of paints, finishes, or other color-related items in sales collateral are representations only; exact matches to printed samples cannot be guaranteed. The customer is responsible for the appropriate usage of Design Options product, related to local codes where the product is installed.

GIZA DESIGN We encourage all of our customers to have Design Options quote their projects. We will produce a 2D and 3D image of the product along with specification and pricing. Please send us a layout with sizes and tell us what product you would like to use. We will do our best to meet all of your needs and will make suggestions to maximize your space. Please allow adequate time for your quote to be processed and returned. Once you receive your quote back, please double check to make sure we have quoted everything you need. All projects are quoted with standard finishes unless otherwise requested by our customer. If you have any questions please contact our design department.

EMAIL
sales@designoptions.com

CUSTOMER SERVICE Please call our Customer Service department toll-free with any questions, comments or concerns.

TELEPHONE
616 988 0881

ORDERS Please send all orders via fax, email, or mail. Please contact Customer Service to ensure that your order is received and if there are any questions or concerns regarding your order. Design Options will not be held responsible for any orders we did not receive.

3770 Hagen Dr SE
Grand Rapids, MI 49548

FAX
616 988 0892

of order entry. Design Options normally cannot make changes after the order is acknowledged. Providing that production has not progressed too far, timely and reasonable changes will be accepted by telephone and must be confirmed in writing. Changes will be subject to additional charges to cover costs incurred. Possession of this price list does not constitute authorization to act as an agent of Design Options. Consult Design Options for further information.

LEAD TIMES Lead times are subject to change from time to time. Please contact our Customer Service department prior to submitting your order to receive current lead times.

TERMS FOR PAYMENT Design Options payment terms are net 30 days from the invoice date. Our company reserves the right to delay or cancel any order/shipment where an account is delinquent. Payment must be made via wire transfer, check, or credit card.

All pricing is FOB factory for the 48 Contiguous States. Design Options will assist with scheduled deliveries but cannot accept responsibility for actions of the common carrier.

Prices and specifications are subject to change without notice. Any typesetting errors in pricing or specification are subject to correction.

FREIGHT All orders over \$22,250 list will ship with free freight. Orders under \$22,250 list will ship FOB from our factory. UPS orders will be charged actual freight. Any questions regarding our freight policy should be directed to our Customer Service department.

FREIGHT CLAIMS If you receive any product that is damaged please note any and all damages on the bill of lading before signing for the delivery and letting the driver depart. Please take pictures of the damaged product and contact our Customer Service department immediately. We will file a freight claim and replace the damaged product. It is your choice to accept or decline the damaged product. If you choose to decline the product, please know that we will replace the damaged item as quickly as possible. Please keep in mind; if the damage is minor, we may be able to replace a component part of the product rather than the entire product. This will help in expediting the replacement. If you choose to accept the damaged shipment, please keep the damaged items in a location for the freight company's inspector to review. Please contact our Customer Service department with any questions that you may have regarding our freight claim policy.

STORAGE AND RETURN SHIPMENT DesignOptions will not accept any returned goods, nor will we hold produced orders for later shipment. Please contact our Customer Service department with any questions or concerns.

ORDER ACCEPTANCE, ACKNOWLEDGEMENT AND CHANGE ORDERS All orders will be acknowledged in writing at the time

INFORMATION FOR ACTION

LIMITED LIFETIME WARRANTY

Design Options manufactures its products to high standards. If properly installed, we rarely experience any quality related issues. In instances where a problem arises, Design Options, as the manufacturer, responds with the intention of achieving total customer satisfaction.

Design Options provides the original purchaser of new product with a limited lifetime warranty. This warranty covers our product using standard materials, excluding damages resulting from transit, misuse, negligence, and alteration of product.

Improper installation, or installation by an unauthorized installer of our product, voids this warranty and releases Design Options from any responsibility and/or liability. Special products and COM will not be covered in this warranty. Normal wear and tear on our product is not covered by this warranty. Any parts or components that are not manufactured by Design Options will be subject to the warranty we receive from the vendor.

Claims for fabric defects, laminate defects, paint defects, damages and issues must be made within 45 days from the time the shipment is received. Design Options requires photos for any warranty issues.

Please contact our Customer Service department if you have any questions regarding this warranty and the information provided.

All standard Wilsonart laminates are available on orders over \$15,000 list without an upcharge. If you choose to use a standard Wilsonart laminate that is not part of our standard collection and your order is under \$15,000 list, a 25% upcharge, minimum upcharge 150.00 (net) will be applied. Please contact our Customer Service department if you would like information on laminates that are not Wilsonart and their availability. These could be subject to a larger upcharge and will be evaluated on an order-to-order basis. Other special laminates will only be available on orders over \$15,000 list.

COLOR PROGRAM

Design Options offers a wide variety of paints, edge colors, grommet colors, laminates, and tack board fabrics. Customers can mix and match any of these standard selections without an upcharge.

SELECTIONS Customers can select from our twenty-seven standard Wilsonart laminates, eleven paint colors and thirty-three fabric colors. Edge details are offered as a flat T-mold, and 3mm with grommet colors to match. We also offer six color options for our thermo-fused top and edge combination, called DesignForm, for an upcharge. Please take note that our laminates and fabrics may occasionally become obsolete from our vendor.

TO ORDER When placing your order, please use the item part number and the finish codes. Please note that some finishes are not available on every part. Please make sure the colors are clearly stated on your order. All orders that are received without color information will be placed on hold until we obtain that information.

COLOR CODES All of our finishes are assigned color codes. Please make sure you use the correct codes when ordering your product. There are some codes that are similar to one another.

CUSTOM COLORS Custom paint colors are available for a flat rate of \$250 on all orders. If you wish to use a custom paint color, you must supply Design Options with two samples of the color you wish to match. Send paint samples to our Michigan location and we will send them to the factory and have them professionally matched. When placing custom paint orders, lead times will be affected.

All standard Wilsonart laminates are available on orders over \$15,000 list without an upcharge. If you choose to use a standard Wilsonart laminate that is not part of our standard collection and your order is under \$15,000 list, a 25% upcharge, minimum upcharge \$150.00 (net) will be applied. Please contact our Customer Service department if you would like information on laminates that are not Wilsonart and their availability. These could be subject to a larger upcharge and will be evaluated on an order-to-order basis. Other special laminates will only be available on orders over \$15,000 list.

Design Options has chosen a selection of Guilford of Maine/Interface fabrics for their standard tack board fabrics. Any Guilford fabric can be chosen for orders over \$15,000 list with a 25% upcharge. If a special fabric is required other than Guilford, we request that the customer send us a sample. Please contact our Customer Service department for availability, lead times and upcharges. This will be evaluated on an order-to-order basis.

Design Options requires a signed customer confirmation on all custom orders and a 50% deposit before the order is entered into our system and put into production. Once the order is in production, we will not accept cancellations. Once the custom items are shipped, we will not accept any returns. All warranties are void when placing custom orders.

FINISH SELECTIONS AND CODES

Design Options literature and finish cards are representative of the colors that we offer and certain variations are possible. When choosing finishes for your order please contact our Customer Service department with any questions or to request an actual sample.

WILSONART LAMINATE Our laminate surfaces are a balanced panel construction, featuring high-pressure laminate face, bonded to a high-density 45 lb. particleboard, with a .032 phenolic backing sheet. They are constructed to inhibit warping. The performance properties of the laminate are consistent with NEMA test requirements.

DESIGNFORM DesignForm is available on most of our Elements line, training tables, and conference tables. It consists of an MDF (medium-density fiberboard) substrate that is machined to size and shape. A thermo-vacuum process enwraps a 16 mil PVC sheet, providing a seamless and completely wrapped product. The seated side of the worksurface has a radius, while the sides are flat. This design eliminates "DesignForm valleys." "Valleys" are created when the rounded edge of a worksurface meets with the flat edge of a return. You must always use at least a 6" radius corner when using DesignForm for a workstation. The performance properties are consistent with NEMA test requirements. NOTE DesignForm is not resistant to extreme heat such as heated pot.

DESCRIPTION	CODE	ITEM NUMBER
Almond Leather	AL	2932-60
Beige Pampas	BP	4170-60
Bronze Legacy	BZ	4656-60
Brune Slate	BS	1763-60
Cloud Zephyr	CZ	4856-60
Desert Zephyr	DZ	4841-60
Dove Grey	DG	D92-60
Evening Tigris	ET	4674-60
Figured Mahogany	FG	7040A-60
Fonthill Pear	FP	10745-60
Fusion Maple	FM	7909-60
Green Tigris	GT	4667-60
Grey Glace	GG	4142-60
Loden Zephyr	LZ	4844-60
Natural Tigris	NT	4669-60
Navy Legacy	NL	4651-60
Nickel EV	NK	4813-60
Olive Legacy	OL	4654-60
Saffron Tigris	ST	4673-60
Silicon EV	SI	4811-60
Tawny Legacy	TL	4663-60
Tungsten EV	TG	4814-60
White Nebula	WN	4621-60
White Tigris	WT	4783-60
Wild Cherry	WC	7054-60
Windswept Pewter	WP	4795-60

DESCRIPTION	CODE
Acajou Mahogany	AY
Fusion Maple	MP
Russian Maple	RM
Fibers Concrete	FC
Hayward Cherry	HC
White Dust	WD

INFORMATION FOR ACTION

EDGE DETAILS Design Options offers flat T-mold as a standard for our Elements line, training tables, and conference tables. When ordering T-Mold, the corners of the desk or table will be radius. We also offer a 3mm edge. This is a standard for our Merit line of product. This means that the corners of the desk will be square. Please contact our Customer Service department regarding the availability of a 3mm edge on our other lines. These edge colors are offered to match most of our paint colors. Typically, customers match the edge color to our paint selections, however, not all of our paint selections have a matching edge color. 3mm edge colors may differ slightly from our paint colors.

GROMMETS Grommets are standard in most of our desks and training tables. Most of our Elements line and training tables ship standard with two grommets with a few exceptions. Our Merit line ships with one grommet with the exception of the Merit bow front double pedestal desk. Typically customers match the grommet color with the edge color. Like our edge colors, not all of our paint colors are available with a matching grommet color.

DESCRIPTION	CODE
Amazon	AM
Black	BK
Deep Blue	DB
Fossil Gray	FG
Graphite	GR
Sandcastle	SC
Slate	CH
Soft Gray	GY
Stonehenge	SH
DESCRIPTION	CODE
Fusion Maple*	FM
Wild Cherry*	WC

*Available on 3MM edge only

DESCRIPTION	CODE
Amazon	AM
Black	BK
Deep Blue	DB
Fossil Gray	FG
Graphite	GR
Moonbeam	MO
Sandcastle	SC
Slate	CH
Soft Gray	GY
Stonehenge	SH

PAINT A coat of rust-inhibiting phosphate etches the metal for better adhesion. It is applied to “washed” parts that are free of grease and oil. A hybrid epoxy polyester powder paint is electrostatically applied to the product to a 3 mil thickness. After curing, this finish exceeds a pencil “H” hardness test and a 1/8” crosshatch tape test performed at regular intervals during the painting process.

FABRIC All panel fabrics offered by Design Options are Guilford of Maine Terratex, a registered trademark of True Textiles Inc. These fabrics are manufactured using sustainable practices and are made from 100% recycled compostable material. All fabrics are of high quality and are recyclable at the end of its useful life.

DESCRIPTION	CODE
Amazon	AM
Black	BK
Deep Blue	DB
Fossil Gray	FG
Graphite	GR
Moonbeam	MO
Sandcastle	SC
Slate	CH
Soft Gray	GY
Stonehenge	SH
White	WT

DESCRIPTION	CODE
Coastline Bluegrass	3495-070
Coastline Bluff	3495-040
Coastline Sand	3495-020
Groove Graphite	3497-010
Groove Mist	3497-060
Groove Winter	3497-022
Lily Pad Carbon	2318-080
Lily Pad Custard	2318-040
Lily Pad Dew	2318-041
Lily Pad Latte	2318-020
Lily Pad Pistachio	2318-010
Lily Pad Platinum	2318-090
Network Frost	4158-020
Network Mocha	4158-052
Network Powder	4158-021
Network Putty	4158-031
Nitro Cherry Cola	2317-021
Nitro Crystal	2317-043
Nitro Rootbeer	2317-040
Nitro Spritzer	2317-020
Phone Tag Almond	2314-070
Phone Tag Bluegrass	2314-010
Phone Tag Clover	2314-011
Phone Tag Sky Dive	2314-050
Phone Tag Stone	2314-071
Snapshot Graphite	3499-030
Snapshot Lemongrass	3499-015
Snapshot Mist	3499-012
Snapshot Rum	3499-021
Spinel Obsidian	3582-021
Streetwise News Stand	2721-1884
Streetwise Pavement	2721-1894

INFORMATION FOR ACTION

PRODUCT SPECIFICATIONS

A router, driven by a numerically controlled computer, provides consistent sizing and shaping of all worksurfaces, and assures precise alignment of holes for attaching legs. Double threaded fasteners are embedded into the underside of the worksurface so that parts can be attached with only a screwdriver. The threaded fasteners have external threads that screw into the worksurface and internal threads for attaching parts such as legs and panels. The internal threads have 28 threads per inch for increased holding power. Tops arrive predrilled with Zamack inserts for attaching structural components. This is the case for Elements and training tables. Merit is assembled at the factory.

SHEET METAL All sheet metal components are cold rolled steel used for commercial furniture. In general, structural components are made of 16 gauge steel while exterior surfaces are made of 22 gauge steel.

SUPPORT LEGS: ELEMENTS End panel legs are covered with 22 gauge steel outside, and internal support struts of 16 gauge steel. The leg top horizontal is made of 14 gauge steel. Clearlegs are constructed of 22 gauge steel outside, and internal support struts of 16 gauge steel. Clearleg leg verticals have a 1" radius so that when they are end-to-end they create a half round. All legs are designed with a 3 1/2" wide by 1 1/2" deep vertical wire management raceway with cover. The leg bottom horizontal is tapered and made of 14 gauge steel. All Elements legs can convert from right to left hand in the field and vice versa. Legs are 1 1/2" in thickness.

SUPPORT LEGS: TRAINING TABLES Training table legs are 20 gauge steel covering a .070 thick tubular steel leg. All legs are designed with a 3 1/2" wide by 2" deep vertical wire manager raceway with cover. These legs are handed and cannot be changed in the field.

SUPPORT LEGS: MERIT End leg panels are covered with 22 gauge steel outside and internal support struts of 16 gauge steel. Leg top and bottom horizontal are made of 14 gauge steel. Modesty panels are 22 gauge steel. Merit does not include any wire management. Merit ships assembled and has a full modesty panel.

WIRE MANAGERS All wire managers for Elements desks and training tables are formed of 22 gauge steel. The ends have 16 gauge reinforcing angles. The wire manager has two channels that separate and manage high and low voltage cables. The wire manager has an optional cover. This cover comes standard when ordering a Power Beam (PB) option. Wire managers are inset 1 1/4" from the approach side of the desk. They are 2" thick and 9" high. There is a 1 1/2" gap between the wire manager and the underside of the worksurface.

OVERSHELVES Overshelves are formed of 20 gauge cold rolled steel with 16 and 20 gauge steel structural and interior parts. Shelves are made with 20 gauge steel and reinforced with stiffeners of 16 gauge steel. They are designed to accept task lights. One set of shelf dividers are provided that are adjustable in 4 1/2" increments. An angled sorter is also available. The tackboard area is fabric-covered and framed in steel.

Only use stackable overshelves when desks are installed back-to-back, against the wall, or in corner workstations. Avoid installing a straight run, unless it will be positioned against a wall.

PEDESTALS Pedestals have side stiffeners that are punched to receive steel ball bearing, full extension slides. File drawers have high sides to allow for filing capability. Drawer fronts can be easily replaced in the field if damaged in use.

FILING AND STORAGE Filing and storage exterior cases are single wall construction. The exterior wall is 22 gauge steel while the stiffener wall is 20 gauge cold rolled steel. Corners have 16 gauge gussets welded in place. The top and bottom are solid 16 gauge cold rolled steel to inhibit racking. Bottom cross members are fitted with a recessed cup to receive leg-leveling glides that are adjustable from inside or outside the case. Glides can recess into the cup to avoid damage when changing cabinet location. A plate is welded to the bottom of the case for reinforcement and to reduce vulnerability to damage when moving. All components are electrically welded together in at least three points. Welds are pressure and time-regulated to ensure consistency and conformity within established standards.

LATERAL FILES Lateral file side stiffeners are punched to receive steel ball bearing, 100 lbs, full extension slides. Slides are installed tongue and groove and have a closing detent. An interlock system prevents more than one drawer from being opened at one time. One security key locks all drawers on both sides. Counterweights can be added but are only required on the 2 high laterals.

VERTICAL FILES Vertical files feature steel ball bearing, full extension slides. The outer shell is 22 gauge steel and the top cap is 16 gauge. Drawer fronts, side supports, top and bottom channels and upright support posts are 20 gauge steel. A cross member is welded into each 4- and 5-high to prevent racking.

STORAGE CABINETS Storage cabinet shelves are adjustable in 1/2" increments, and are standard in our storage cabinets. The locking system engages doors at four points simultaneously; top and bottom. The doors have spring-loaded hinges. Clothing hanger bars are available as an option. A vertical partition is available to separate the clothing hanging area and shelf storage. Storage cabinet shelf weight limit is 3 lbs per linear inch meeting ANSI-BIFMA standards.

POWER

ELECTRICAL FOUR CIRCUIT SYSTEM Design Options offers an 8 wire, 4 circuit system for powering Elements desks and training table lines. The electrical components are run through the wire manager and are accessible from the user side of Elements and TR series training tables and behind a locked door on the approach side of wire access tables. With this system, you must specify the Power Beam option on the tables, and add power feeds, jumpers, and receptacles. You also have an option of adding data and phone jacks. This system is easy to reconfigure or add-on in the field.

SINGLE CIRCUIT SYSTEM Another system that we offer is the single circuit system with pop-up module installed in the worksurface. This means that the desk top must have cut-outs where the modules will be placed. The customer must specify the location of these cut-outs. This can be specified in conjunction with the 4 circuit system or it can be specified as a single module. This must plug into a 20 amp electrical outlet or duplex receptacle underneath the worksurface. The module includes a flip top door and is angled from the worksurface.

POWER IN DESKS By specifying a Power Beam, the basic element of the 8 wire, 4 circuit electrical system has been ordered. Power Beams are installed under the worksurface, in the wire manager. Receptacles are faced into the wire manager cover. The wire manager cover can house up to two duplex receptacles. The 8 wire, 4 circuit electrical system, allows a wide range of receptacle distribution.

Jumpers, receptacles and power feeds are necessary to connect the Power Beams and supply them with electricity.

JUMPERS The jumpers are the components that conduct electricity from one desk to the next. They can connect end to end, back to back, end to back, etc. Jumpers are available in a variety of sizes to suit specific applications. Refer to line drawings on page 39.

POWER FEEDS Are components that connect to a building power source. The power feed options are either hardwire or plug-in.

RECEPTACLES Are electrical outlets connected to a power supply, equipped to receive a plug, which determines the configuration of the system. Each of the 4 circuits can accept up to 13 duplex receptacles depending on local code, for a total of 52 receptacles (104 outlets) from a single power source on a hardwire system. The #1 circuit is a utility circuit; #2 and #3 can be either utility or designated circuits; #4 is always designated. Plug-in systems can only house 1 circuit and up to 12 duplex receptacles. Always specify receptacle 1's with the plug-in power feed system.

SINGLE CIRCUIT DAISY CHAINED SYSTEM Design Options also offers another type of powering system, the daisy chain system. Desktop Power Modules with foldaway access doors provide an angled duplex electrical receptacle and 2 optional voice/data ports on top of the worksurface only. This means that the desk top must have cut-outs where the modules will be placed. The customer must specify the location of these cut-outs. This system can run up to 8 modules in a row. Modules are connected to one another with jumpers that are included with the module. The first module contains the plug-in to connect the power source to a 20 amp electrical wall outlet.

WIRE MANAGEMENT

MANAGING WIRES IN DESKS Wire management is standard on Elements desk and training table. The wire management system has vertical and horizontal capabilities. When specified, electrical components are housed inside the system. Most of the worksurfaces include two grommets standard; three for corner worksurfaces.

VERTICAL WIRE MANAGEMENT The center of the leg upright features a vertical wire track to conceal wires and route them to floor power or connection sources. Wires enter and exit through slots built into the leg's inner panel. The inner panel is easily removed to access the wire track.

HORIZONTAL WIRE MANAGEMENT Two levels of horizontal wire raceways are integrated into the horizontal wire management support, to separate high and low voltage wires. A blank faceplate is available to contain high voltage and low voltage wires. The optional 4 circuit electrical system can install in the upper portion of the raceway, while low voltage is supported in the lower portion of the raceway.

OVERSHELF WIRE MANAGEMENT Columns and ClearColumns on the overselves provide raceways to manage wires from task lights and wires being used on the shelf.

COMMUNICATIONS A separate level is provided in the horizontal wire management raceway for communications and data. The wire manager cover provides knockouts for installing low voltage jacks in addition to the duplex receptacle knockouts. We offer one type of phone jack and one type of data jack. The jack and faceplate cover are the only parts that we provide and do not provide wiring.

ORDERING ELECTRICAL COMPONENTS

ALL ORDERS MUST INCLUDE A FLOOR PLAN SHOWING

Which desks are to be powered (PB) where the power source is located, what type of power entry and a plan view of the installation and receptacle distribution

SAFETY All electrical parts used in the system are designed with every possible safety consideration, and are in accordance with the National Electrical Code requirements and approved by UL, CSA and New York City.

Local electrical codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.

SPECIFICATIONS 120 VAC system, rated at 20 amps; receptacles are 15 amps; 8 wire, 4 positive, 2 ground and 2 neutral.

WARNING Connection to power source should be made by a licensed electrician in accordance with all national and local electrical codes. Failure to observe this warning could result in a fire, project failure, personal injury and/or property damage. Design Options will not be held responsible for incorrect usage of this system.

ELEMENTS

FREESTANDING CORNER DESKS

FREESTANDING CORNER DESKS are standard with two clear legs, one corner leg, and two wire managers underneath the worksurface. Integrated wire management runs horizontally and vertically through the legs. Three utility grommets are standard in the top of the desk. Corner worksurfaces have a standard height of 28¹/₂" high. When specifying this desk in a workstation clear legs should be used, if this is a stand alone desk full depth legs are required..

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

Leg

LF/RF Left and right full depth legs
LF/RC Left full depth leg and right clear leg
LC/RF Left clear leg and right full depth leg
LC/RC Left and right clear legs

TO ORDER OPTIONS, SPECIFY...

Modesty Panel Option

FLMP Full Length Modesty Panel, add \$120 Per modesty panel - 2 Available (for desks at 28¹/₂" height only)

Height Option





WC 33" Wheel Chair Height, add \$323

Power Option

PB Power Beam only, add \$186 per power beam - 2 available (receptacles, jumpers and in-feed separate, page 36)

Wire Management Option

WMC Wire Manager Cover add \$63 per cover -2 available

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
Freestanding Corner Desk (shown CR3624D)  	CR3624D	24	36	28 ¹ / ₂	\$1122	\$1458
	CR4224D	24	42	28 ¹ / ₂	\$1145	\$1488
	CR4230D	30	42	28 ¹ / ₂	\$1184	\$1541
	CR4824D	24	48	28 ¹ / ₂	\$1245	N/A
	CR4830D	30	48	28 ¹ / ₂	\$1285	N/A
Freestanding Corner Desk Inside Radius (shown CRIR3624D)  	CRIR3624D	24	36	28 ¹ / ₂	\$1122	\$1458
	CRIR4224D	24	42	28 ¹ / ₂	\$1145	\$1488
	CRIR4230D	30	42	28 ¹ / ₂	\$1184	\$1541
	CRIR4824D	24	48	28 ¹ / ₂	\$1245	N/A
	CRIR4830D	30	48	28 ¹ / ₂	\$1285	N/A

ELEMENTS

L-CORNERS, L-DESKS & L-BOWFRONT DESK

L-CORNERS, L-DESKS AND L-BOWFRONTS The “L” desks were created to allow for a smooth transition when specifying DesignForm workspaces. The corner radius measures 6". The desks on this page are handed pieces and you must specify left (-L) or right (-R) after the part number. The direction is determined from the seated side of the desk. All of these desks have a standard height of 28½" high. Integrated wire management runs horizontally and vertically through the legs. The L-Corner and L-Desk are standard with two grommets, the L-Bowfront does not include grommets. L-Corners come standard with one clear leg and one full leg and the L-Desks and L-Bowfronts come standard with two full depth legs.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

Leg

LF/RF Left and right full depth legs
LF/RC Left full depth leg and right clear leg
LC/RF Left clear leg and right full depth leg
LC/RC Left and right clear legs

TO ORDER OPTIONS, SPECIFY...

Modesty Panel Option

FLMP Full Length Modesty Panel, add \$120
(for desks at 28½" height only)

Height Option









WC 33" Wheel Chair Height, add \$323

Power Option

PB Power Beam only, add \$186 per power beam
(receptacles, jumpers and in-feed separate, page 36)

Wire Management Option

WMC Wire Manager Cover add \$63 per cover

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
L-Corner Desk (shown 36-2430LC-D-L)	30-2424LC-D-(L/R)	24	24	28½	\$887	\$1154
	36-2430LC-D-(L/R)	24/30	36/30	28½	\$988	\$1284
	36-3030LC-D-(L/R)	30	36	28½	\$1088	\$1415
L-Desk (shown 30-2460LD-D-L)	30-2454LD-D-(L/R)	24	54	28½	\$1156	\$1461
	30-2460LD-D-(L/R)	24	60	28½	\$1269	\$1650
	30-2466LD-D-(L/R)	24	66	28½	\$1361	\$1768
	30-2472LD-D-(L/R)	24	72	28½	\$1391	\$1807
L-Desk (shown 36-3060LD-D-L)	30-2454LD-D-(L/R)	30/24	54	28½	\$1323	\$1722
	30-2460LD-D-(L/R)	30/24	60	28½	\$1436	\$1867
	30-2466LD-D-(L/R)	30/24	66	28½	\$1528	\$1987
	30-2472LD-D-(L/R)	30/24	72	28½	\$1559	\$2038
L-Desk (shown 39-3060LD-DB-L)	39-3060LD-DB-(L/R)	30/24	60	28½	\$1463	\$1901
	39-3066LD-DB-(L/R)	30/24	66	28½	\$1685	\$2189
	39-3072LD-DB-(L/R)	30/24	72	28½	\$1718	\$2234

ELEMENTS

RECTANGLE DESKS

RECTANGLE DESKS are freestanding desks with two full legs. Integrated wire management runs horizontally and vertically through the legs. Two utility grommets are standard in the top of the worksurface. They have a standard worksurface height of 28¹/₂" high.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

Leg

LF/RF Left and right full depth legs
LF/RC Left full depth leg and right clear leg
LC/RF Left clear leg and right full depth leg
LC/RC Left and right clear legs

TO ORDER OPTIONS, SPECIFY...

Modesty Panel Option

FLMP Full Length Modesty Panel, add \$120
(for desks at 28¹/₂" height only)

Height Option

WC 33" Wheel Chair Height, add \$323
M 25¹/₂" Machine Height, add \$112

ZBar Option



ZBAR Bracket required when joining M height desk with D height desks, add \$186

Power Option

PB Power Beam only, add \$186
Not available on 24" wide tables
(receptacles, jumpers and in-feed separate, page 36)

Wire Management Option

WMC Wire Manager Cover add \$65

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
24" Deep Rectangle Desk (shown 2460D) 	2424D	24	24	28 ¹ / ₂	\$745	\$969
	2430D	24	30	28 ¹ / ₂	\$760	\$987
	2436D	24	36	28 ¹ / ₂	\$833	\$1083
	2442D	24	42	28 ¹ / ₂	\$840	\$1092
	2448D	24	48	28 ¹ / ₂	\$889	\$1156
	2454D	24	54	28 ¹ / ₂	\$972	\$1264
	2460D	24	60	28 ¹ / ₂	\$978	\$1271
	2466D	24	66	28 ¹ / ₂	\$1158	\$1506
	2472D	24	72	28 ¹ / ₂	\$1185	\$1541
	2478D	24	78	28 ¹ / ₂	\$1273	\$1654
30" Deep Rectangle Desk (shown 3060D) 	3024D	30	24	28 ¹ / ₂	\$795	\$1032
	3030D	30	30	28 ¹ / ₂	\$822	\$1067
	3036D	30	36	28 ¹ / ₂	\$882	\$1147
	3042D	30	42	28 ¹ / ₂	\$899	\$1216
	3048D	30	48	28 ¹ / ₂	\$939	\$1219
	3054D	30	54	28 ¹ / ₂	\$1034	\$1443
	3060D	30	60	28 ¹ / ₂	\$1110	\$1474
	3066D	30	66	28 ¹ / ₂	\$1218	\$1582
	3072D	30	72	28 ¹ / ₂	\$1246	\$1618
	3078D	30	78	28 ¹ / ₂	\$1332	\$1733

ELEMENTS

RECTANGLE AND BOWFRONT DESKS

RECTANGLE DESKS WITH OVERHANG provide a 6" knee space for guests on the approach side of the desk. The base of these desks will be 6" shorter than the depth of the worksurface. Grommets will match the location of the base. They have a standard height of 28½" high. Integrated wire management runs horizontally and vertically through the legs.

BOWFRONT DESKS are freestanding with two standard depth full legs. The worksurface goes from 36" deep on either side to 39" deep at the bow. The base is 30" deep allowing a 9" overhang for guest seating. Grommets are not included on the worksurface. They have a standard height of 28½" high.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

Leg

LF/RF Left and right full depth legs
LF/RC Left full depth leg and right clear leg
LC/RF Left clear leg and right full depth leg
LC/RC Left and right clear legs

TO ORDER OPTIONS, SPECIFY...

Modesty Panel Option

FLMP Full Length Modesty Panel, add \$120
(for desks at 28½" height only)

Height Option




WC 33" Wheel Chair Height, add \$323

Power Option

PB Power Beam only, add \$186
(receptacles, jumpers and in-feed separate, page 36)

Wire Management Option

WMC Wire Manager Cover add \$65

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
30" Deep RectangleDesk, 24" Deep Base (shown 3060D-24) 	3060D-24	30	60	28½	\$1122	\$1490
	3066D-24	30	66	28½	\$1231	\$1600
	3072D-24	30	72	28½	\$1259	\$1636
	3078D-24	30	78	28½	\$1347	\$1751
36" Deep RectangleDesk, 30" Deep Base (shown 3660D-30) 	3660D-30	36	60	28½	\$1199	\$1557
	3666D-30	36	66	28½	\$1329	\$1724
	3672D-30	36	72	28½	\$1409	\$1832
Bowfront Desk (shown BF3660D) 	BF3660D	39	60	28½	\$1339	\$1733
	BF3666D	39	66	28½	\$1518	\$1973
	BF3672D	39	72	28½	\$1546	\$2010

ELEMENTS

SWEEP DESK

SWEEP DESK AND UNIVERSALS SWEEP DESKS are 24" deep on one side and 30" deep on the other side. Universal sweep desks are 24" desk on either side and 30" deep in the middle. Sweep desk are standard with one full leg on the 30" deep side and one clear leg on the 24" deep side. The universal sweep desks comes standard with two clear legs. Sweeps and universal sweeps must attach to another work surface and should not be used as stand alone desks unless full legs are specified. Sweeps are handed pieces and must be specified left or right. The direction is determined from the seated side of the desk. Both desk have a standard height of 28½" high and come with two utility grommets standard. Integrated wire management runs horizontally and vertically through the legs.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

Leg

LF/RF Left and right full depth legs
LF/RC Left full depth leg and right clear leg
LC/RF Left clear leg and right full depth leg
LC/RC Left and right clear legs

TO ORDER OPTIONS, SPECIFY...

Modesty Panel Option

FLMP Full Length Modesty Panel, add \$120
(for desks at 28½" height only)

Height Option







WC 33" Wheel Chair Height, add \$323

Power Option

PB Power Beam only, add \$173 per power beam
(receptacles, jumpers and in-feed separate, page 36)

Wire Management Option

WMC Wire Manager Cover add \$65

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
Left Hand Sweep Desk (shown SW3048D-LI)						
	SW3042D-LI	30/24	42	28½	\$1013	\$1319
	SW3048D-LI	30/24	48	28½	\$1054	\$1374
	SW3054D-LI	30/24	54	28½	\$1161	\$1509
	SW3060D-LI	30/24	60	28½	\$1164	\$1512
	SW3066D-LI	30/24	66	28½	\$1358	\$1766
	SW3072D-LI	30/24	72	28½	\$1389	\$1805
	SW3078D-LI	30/24	78	28½	\$1501	\$1951
Right Hand Sweep Desk (shown SW3048D-RI)						
	SW3042D-RI	24/30	42	28½	\$1013	\$1319
	SW3048D-RI	24/30	48	28½	\$1054	\$1374
	SW3054D-RI	24/30	54	28½	\$1161	\$1509
	SW3060D-RI	24/30	60	28½	\$1164	\$1512
	SW3066D-RI	24/30	66	28½	\$1358	\$1766
	SW3072D-RI	24/30	72	28½	\$1389	\$1805
	SW3078D-RI	24/30	78	28½	\$1501	\$1951
Universal Sweep Desk (shown SW3048D-UI)						
	SW3042D-UI	30	42	28½	\$1049	\$1364
	SW3048D-UI	30	48	28½	\$1091	\$1418
	SW3054D-UI	30	54	28½	\$1296	\$1685
	SW3060D-UI	30	60	28½	\$1304	\$1696
	SW3066D-UI	30	66	28½	\$1393	\$1722
	SW3072D-UI	30	72	28½	\$1425	\$1851
	SW3078D-UI	30	78	28½	\$1536	\$1996

ELEMENTS

BRIDGE AND CREENZA TOPS

FREESTANDING BRIDGES consist of a top, wire manager, two clear legs, and two utility grommets. Order cross grain bridge tops when specifying a woodgrain top. Bridges should be attached to other Elements desk.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

TO ORDER OPTIONS, SPECIFY...

Modesty Panel Option

FLMP Full Length Modesty Panel, add \$106
(for desks at 28¹/₂" height only)

Height Option

WC 33" Wheel Chair Height, add \$287

Wire Management Option

WMC Wire Manager Cover add 56

Power Option

PB Power Beam only, add \$153 per power beam
(receptacles, jumpers and in-feed separate, page 36)

CREENZA WORKSURFACE consist of a top only. These tops must be specified with laterals or pedestals for support. The tops are predrilled to accept pedestals. Two utility grommets are standard, specify no grommet if none are required.




TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

Grommet Options

NO No Grommets

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
24" Deep Bridge Top (shown BR2448D) 	BR2424D	24	24	N/A	\$810	\$1053
	BR2430D	24	30	N/A	\$825	\$1073
	BR2436D	24	36	N/A	\$906	\$1178
	BR2442D	24	42	N/A	\$913	\$1187
	BR2448D	24	48	N/A	\$967	\$1256
24" Deep Cross Grain Bridge Top (shown BRX2448D) 	BRX2424D	24	24	N/A	\$810	\$1053
	BRX2430D	24	30	N/A	\$825	\$1073
	BRX2436D	24	36	N/A	\$906	\$1178
	BRX2442D	24	42	N/A	\$913	\$1187
	BRX2448D	24	48	N/A	\$967	\$1256
Credenza Top (shown WT24D60SW) 	WT20D60SW	20	60	N/A	\$569	\$740
	WT20D72SW	20	72	N/A	\$609	\$794
	WT24D60SW	24	60	N/A	\$569	\$740
	WT24D72SW	24	72	N/A	\$609	\$794
	WT30D60SW	30	60	N/A	\$612	\$796
	WT30D72SW	30	72	N/A	\$664	\$863

ELEMENTS

PENINSULA DESKS

PENINSULA DESK are freestanding desks with a straight front and rounded edge on one side. The base is 12" shorter than the top to allow for a conferencing end. They are a standard height of 28¹/₂" high. Grommets are not standard on these desks. Integrated wire management runs horizontally and vertically through the legs. This desk is not available with the DF option.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge

Leg

LF/RF Left and right full depth legs
 LF/RC Left full depth leg and right clear leg
 LC/RF Left clear leg and right full depth leg
 LC/RC Left and right clear legs

TO ORDER OPTIONS, SPECIFY...

Modesty Panel Option

FLMP Full Length Modesty Panel, add \$120
 (for desks at 28¹/₂" height only)

Height Option







WC 33" Wheel Chair Height, add \$323

Power Option

PB Power Beam only, add \$186 per power beam
 (receptacles, jumpers and in-feed separate, page 36)

Wire Management Option

WMC Wire Manager Cover add \$65 per cover

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
24" Deep Peninsula Desk (shown PD2460D)	PD2436D	24	36	28 ¹ / ₂	\$1033	N/A
	PD2442D	24	42	28 ¹ / ₂	\$1050	N/A
	PD2448D	24	48	28 ¹ / ₂	\$1101	N/A
	PD2454D	24	54	28 ¹ / ₂	\$1185	N/A
	PD2460D	24	60	28 ¹ / ₂	\$1191	N/A
	PD2466D	24	66	28 ¹ / ₂	\$1412	N/A
	PD2472D	24	72	28 ¹ / ₂	\$1445	N/A
30" Deep Peninsula Desk (shown PD3060D)	PD3036D	30	36	28 ¹ / ₂	\$1043	N/A
	PD3042D	30	42	28 ¹ / ₂	\$1107	N/A
	PD3048D	30	48	28 ¹ / ₂	\$1161	N/A
	PD3054D	30	54	28 ¹ / ₂	\$1246	N/A
	PD3060D	30	60	28 ¹ / ₂	\$1250	N/A
	PD3066D	30	66	28 ¹ / ₂	\$1473	N/A
	PD3072D	30	72	28 ¹ / ₂	\$1506	N/A
36" Deep Peninsula Desk (shown PD3660D)	PD3660D	36	60	28 ¹ / ₂	\$1260	N/A
	PD3666D	36	66	28 ¹ / ₂	\$1458	N/A
	PD3672D	36	72	28 ¹ / ₂	\$1488	N/A

ELEMENTS




PENINSULA POST TABLES

PENINSULA POST TABLES are used as extensions from an Elements worksurface. These desks are standard with one post leg for 24" deep and 30" deep and two post legs for 36" deep. They must attach to another worksurface for support. This desk does not have any options available. T-mold is the only edge offered.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
24" Deep Peninsula Post (shown PP2460D) 	PP2424D	24	24	28 1/2	\$509	N/A
	PP2430D	24	30	28 1/2	\$570	N/A
	PP2436D	24	36	28 1/2	\$590	N/A
	PP2442D	24	42	28 1/2	\$624	N/A
	PP2448D	24	48	28 1/2	\$698	N/A
	PP2454D	24	54	28 1/2	\$717	N/A
	PP2460D	24	60	28 1/2	\$737	N/A
	PP2466D	24	66	28 1/2	\$791	N/A
	PP2472D	24	72	28 1/2	\$815	N/A
30" Deep Peninsula Post (shown PP3060D) 	PP3024D	30	24	28 1/2	\$522	N/A
	PP3030D	30	30	28 1/2	\$583	N/A
	PP3036D	30	36	28 1/2	\$602	N/A
	PP3042D	30	42	28 1/2	\$637	N/A
	PP3048D	30	48	28 1/2	\$711	N/A
	PP3054D	30	54	28 1/2	\$731	N/A
	PP3060D	30	60	28 1/2	\$751	N/A
	PP3066D	30	66	28 1/2	\$805	N/A
	PP3072D	30	72	28 1/2	\$828	N/A
36" Deep Peninsula Post (shown PP3660D) 	PP3660D	36	60	28 1/2	\$764	N/A
	PP3666D	36	66	28 1/2	\$818	N/A
	PP3672D	36	72	28 1/2	\$842	N/A

ELEMENTS

TRANSITIONAL PENINSULAS

TRANSITIONAL PENINSULA DESK (TPD) are standard with one post leg for 24"D and 30" deep, and two post legs for 36"D, all depths include two clear legs. Two utility grommets are standard on these desk. Integrated wire management runs horizontally and vertically through the legs. This desk is not available in DesignForm.

TRANSITIONAL PENINSULA CORNER (TPC) are specified with two clear legs and one post leg. Two utility grommets are standard on these desks. Integrated wire management runs horizontally and vertically through the legs. This item is available with DesignForm.

2 WAY TRANSITIONAL PENINSULA DESK (2TPD) are standard with two clear legs and one post leg. Two utility grommets are standard on these desks. Integrated wire management runs horizontally and vertically through the legs. This item is available in DesignForm. These desks have a 6" radius to match the L-Corners.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

TO ORDER OPTIONS, SPECIFY...

FLMP Full Length Modesty Panel, add \$120
(for desks at 28¹/₂" height only)

Height Option




WC 33" Wheel Chair Height, add \$323

Power Option

PB Power Beam only, add \$186
(receptacles, jumpers and in-feed separate, page 36)

Wire Management Option

WMC Wire Manager Cover add \$65

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
Transitional Peninsula Desk (shown TPD3060) 	TPD2460D	24	60	28 ¹ / ₂	\$947	N/A
	TPD2466D	24	66	28 ¹ / ₂	\$962	N/A
	TPD2472D	24	72	28 ¹ / ₂	\$989	N/A
	TPD3060D	30	60	28 ¹ / ₂	\$981	N/A
	TPD3066D	30	66	28 ¹ / ₂	\$974	N/A
	TPD3072D	30	72	28 ¹ / ₂	\$1026	N/A
	TPD3660D	36	60	28 ¹ / ₂	\$1017	N/A
	TPD3666D	36	66	28 ¹ / ₂	\$1040	N/A
	TPD3672D	36	72	28 ¹ / ₂	\$1050	N/A
Transitional Peninsula Corner (shown TPC4260D-L) 	TPC4260D(L/R)	24	60	28 ¹ / ₂	\$1424	\$1851
	TPC4266D(L/R)	24	66	28 ¹ / ₂	\$1448	\$1884
	TPC4272D(L/R)	24	72	28 ¹ / ₂	\$1473	\$1915
2 Way Transitional Peninsula Desk (shown 2TPD4260D) 	2TPD4260D	24	60	28 ¹ / ₂	\$1524	\$1979
	2TPD4266D	24	66	28 ¹ / ₂	\$1547	\$2012
	2TPD4272D	24	72	28 ¹ / ₂	\$1571	\$2043

ELEMENTS

DOCKING TABLES AND END FORMS

MOBILE DOCKING TABLES are standard with two mobile post legs and two fixed post legs. These tables do not come standard with grommets. The finished height is 28½" and they do not include any wire management capabilities.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

Top Shape

DT Rectangle Top
PDT Peninsula Top

TO ORDER OPTIONS, SPECIFY...

Height Option




B 27"H, add \$119
(slides under Elements worksurface)

END FORM TEAM TASK are standard with two fixed post legs and require the support of two back to back Elements desks. They are not standard with grommets and they have no wire management capabilities. This table has no additional options and can not be used as a freestanding desk.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
DF DesignForm

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
24" Deep Mobile Docking Table (shown 2442MBL-DT) 	2436MBL 2442MBL 2448MBL 2460MBL	24 24 24 24	36 42 48 60	28½" 28½" 28½" 28½"	\$1264 \$1280 \$1299 \$1345	\$1642 \$1663 \$1687 \$1750
30" Deep Mobile Docking Table (shown 3042MBL-DT) 	3036MBL 3042MBL 3048MBL 3060MBL	30 30 30 30	36 42 48 60	28½" 28½" 28½" 28½"	\$1276 \$1310 \$1344 \$1401	\$1659 \$1703 \$1748 \$1820
End Form Team Task (shown EF3648D) 	EF2448D EF2460D EF3648D EF3660D	24 24 36 36	48 60 48 60	28½" 28½" 28½" 28½"	\$1137 \$1192 \$1221 \$1276	\$1476 \$1547 \$1587 \$1659

ELEMENTS

PEDESTALS

MODULAR PEDESTALS are shipped open top, they must install underneath elements desks. Pedestals are standard with leg levelers, full width handles, and full extension slides on drawers. Filing hardware and high side filing drawers are included. Pedestals should be ordered shorter than the depth of desks it will be installed underneath, due to the placement of the wire manager on the elements desk. For example when specifying 24" deep desks, you must specify the 18" deep pedestal. Pedestals do not support the worksurface.

MOBILE PEDESTALS are shipped with a steel top. Pedestals are standard with two locking and two non-locking casters, full width handles, and full extension slides on drawers. Filing hardware and high side filing drawers are included. Mobile pedestals come standard with a counter weight. At finished height mobile pedestals will slide underneath and elements worksurface.

TO ORDER OPTIONS, SPECIFY...

Counterweight

CW Counterweight option, add \$65
(required when specifying modular pedestals as freestanding, see top options on next page)





Key Options

MKEY Master Key, add \$51

CRKEY Core Removeable key, add \$51

Pencil Tray

PTC Pencil tray of 6" box drawer only, add \$61







Description	Item Number	D	W	H	Price Per Item
Pedestal Box-Box-File (shown 2718BBF)	2718BBF	18	15	27 1/2	\$567
	2723BBF	22	15	27 1/2	\$621
	2729BBF	28	15	27 1/2	\$740
Pedestal File-File (shown 2718FF)	2718FF	18	15	27 1/2	\$554
	2723FF	22	15	27 1/2	\$606
	2729FF	28	15	27 1/2	\$706
Mobile Pedestal Box-Box-File (shown MBL2718BBF)	MBL2718BBF	18	15	27 5/16	\$803
	MBL2723BBF	22	15	27 5/16	\$842
	MBL2729BBF	28	15	27 5/16	\$944
Mobile Pedestal File-File (shown MBL2718FF)	MBL2718FF	18	15	27 5/16	\$790
	MBL2723FF	22	15	27 5/16	\$831
	MBL2729FF	28	15	27 5/16	\$932

ELEMENTS

PEDESTAL TOPS

PEDESTAL AND MOBILE PEDESTAL TOPS can be specified as flat t-mold, 3MM, or DesignForm. 3MM tops will have a squared edge and fit the pedestal exactly. T-mold tops will have a rounded edge and must overhang on the front and back to allow for the round edge to go over the squared corner of the pedestal. The DesignForm tops will be flat on all sides and rounded on the front. If you are specifying a top for modular pedestals, you must specify a counterweight. Keep in mind, when specifying tops for modular mobile pedestals, the pedestals will no longer fit underneath the worksurface. Please specify these tops with modular and mobile pedestals only.

Tops ordered with Pedestals will show as an option on the pedestals indicated by P3MM, PLT, or PDF. The appropriate size will be automatically selected. The price of the top will be added to the price of the pedestal on the acknowledgment and invoice.

Description	Item Number	D	W	H	Price Per Item
3MM Pedestal Top (shown P3MM1815)  	P3MM1815	17 ¹ / ₄	14 ⁷ / ₈	N/A	\$92
	P3MM2315	23 ¹ / ₈	14 ⁷ / ₈	N/A	\$117
	P3MM2915	28 ⁷ / ₈	14 ⁷ / ₈	N/A	\$148
T-Mold Pedestal Top (shown PLT2515)  	PLT1915	19	15	N/A	\$86
	PLT2515	25	15	N/A	\$126
	PLT3015	30	15	N/A	\$152
DesignForm Pedestal Top (shown PDF1915)  	PDF1815	19	15	N/A	\$146
	PDF2315	25	15	N/A	\$189
	PDF2915	30	15	N/A	\$229

ELEMENTS

LATERAL PEDESTALS, STORAGE MODULES, BOOKCASES

LATERAL PEDESTALS, STORAGE MODULES AND BOOKCASES are shipped open top and must be installed under an Elements desk.

LATERAL PEDESTALS are standard with leg leveler, full width handles, and full extension slides. The lateral drawer fronts are designed to line up with pedestal drawer fronts.

FILING CENTER combines lateral and vertical filing in a single unit. The filing center consist of one 12" lateral filing drawer, one 12" pedestal file drawer , and two 6" box drawers.

BOOKCASES include one adjustable shelf that adjusts in 1/2" increments.

STORAGE MODULES include one adjustable shelf that adjusts in 1/2" increments. If the mobile option is specified the storage module will no longer fit underneath an Elements desk. The single door storage module is hinged on the right side only. Tops for the single door storage module are available on page 23.

TO ORDER OPTIONS, SPECIFY...

Counterweight

LCW Counterweight option, add \$62
(required when specifying modular pedestals as freestanding.)

Key Options

MKEY Master Key, add \$51
CRKEY Core Removeable key, add \$51

Filing Bars




LFB Front to back filing bars, add \$34 per pair

Mobile Option- Storage Module Only

MBL Mobile option, add \$137

Shelf Option- Storage Module Only

SCSH Storage Module extra shelf, add \$116




Description	Item Number	D	W	H	Price Per Item
Lateral File, File Pedestal (shown 3627FF) 	3627FF	17 ¹ / ₂	36	27 ⁵ / ₈	\$978
Lateral Bookcase (shown 3627 BKCS) 	3627BKCS	17 ¹ / ₂	36	27 ⁵ / ₈	\$682
Storage Module (shown 3627SM) 	3627SM	17 ¹ / ₂	36	27 ⁵ / ₈	\$944

ELEMENTS

LATERAL TOPS

LATERAL PEDESTAL TOPS can be ordered as flat T-Mold, 3MM or DesignForm. 3MM tops will have a squared edge and fit the pedestal exactly. T-mold tops will have a rounded edge and must overhang on the front and back to allow for the round edge to go over the squared corner of the pedestal. The DesignForm tops will be flat on all sides and rounded on the front. If you are specifying a top for a lateral pedestal, you must specify a counterweight. Keep in mind, when specifying tops for modular mobile pedestals, the pedestals will no longer fit underneath the worksurface.

Tops ordered with Lateral Pedestals, Bookcases or Storage Modules will show as an option of the item indicated by L3MM, LLT, or LDF. The appropriate size will be automatically selected. The price of the top will be added to the price of the item on the acknowledgment and invoice.

Description	Item Number	D	W	H	Price Per Item
3MM Lateral top (shown L3MM1836) 	L3MM1836	18	36	N/A	\$237
T-Mold Lateral Top (shown LLT2036) 	LLT2036	20	36	N/A	\$243
DesignForm Lateral Top (shown LDF1836) 	LDF1836	18	36	N/A	\$329

ELEMENTS

WALLMOUNT OVERSHELF AND TACKBOARDS

WALLMOUNT OVERSHELFS mount directly to a wood or steel stud wall. DesignOptions does not supply wall mounting screws in the hardware kit. When stackable wall mount overshelves are needed, please specify the same product number, do not use the stackable Elements overshelf. The overshelf comes standard with one set of overshelf dividers (OSSD-2).

WALLMOUNT TACKBOARDS mount directly to a wood or steel stud wall. DesignOptions does not supply wall mounting screws in the hardware kit. The wall mount tackboard includes wire channels on either side to hide task light cords. The overshelf accessory rack (OSM22) will install over this tackboard. When placing an order, please include fabric selection.


TO ORDER OPTIONS, SPECIFY...

Shelf Divider

OSSD-2 Shelf Dividers, add \$68 per pair

WallMount Overshelf


(shown WOS60)



Item Number	D	W	H	Price Per Item
WOS30	14	30	15 1/2	\$676
WOS36	14	36	15 1/2	\$686
WOS42	14	42	15 1/2	\$696
WOS48	14	48	15 1/2	\$703
WOS54	14	54	15 1/2	\$723
WOS60	14	60	15 1/2	\$727
WOS66	14	66	15 1/2	\$790
WOS72	14	72	15 1/2	\$795
WOS78	14	78	15 1/2	\$835

Wall Mount Tackboard

(shown WTKBD60)



Item Number	D	W	H	Price Per Item
WTKBD30	N/A	30	22 1/2	\$410
WTKBD36	N/A	36	22 1/2	\$438
WTKBD42	N/A	42	22 1/2	\$453
WTKBD48	N/A	48	22 1/2	\$471
WTKBD54	N/A	54	22 1/2	\$496
WTKBD60	N/A	60	22 1/2	\$502
WTKBD66	N/A	66	22 1/2	\$532
WTKBD72	N/A	72	22 1/2	\$545
WTKBD78	N/A	78	22 1/2	\$572

ELEMENTS

OVERSHELF AND STACKABLE OVERSHELF

OVERSHELF UNITS mount to the top of the worksurface. The width of the overshef must match the width of the desk. For example, specify a 60" wide overshef with a 60" wide desk. The overshef mounts to the worksurface by attaching through the predrilled port holes next to the grommets, down into the Elements leg. It consist of an open shelf, two 14" deep columns, and a 22 1/2" fabric tackboard. The approach side of the overshef is painted steel. The clearance underneath the overshef is approximately 20 1/2". By placing a tasklight underneath the overshef, clearance is reduced to 19 1/2". One set of overshef dividers is included with the shelf (OSSD-2).

STACKABLE OVERSHELF is a product that is unique to DesignOptions. It consists of an open shelf with 14" deep columns and is designed to stack on top on the Overshef. The approach side on the stackable overshef is painted steel. The width of the Stackable Overshef **MUST** match the width of the Overshef it is stacking on. We recommend using Stackable Overshelves when desks are against a wall or installed back to back. One set of overshef dividers is included with the shelf (OSSD-2).



TO ORDER PRODUCT, SPECIFY...

Clear Column Options - Left and Right

CCL 5" clear column left, no additional charge
CCR 5" clear column right, no additional charge
(clear columns must install where there is a grommet and an elements leg.)

Shelf Divider

OSSD-2 Set of two overshef dividers, add \$68.

Description	Item Number	D	W	H	Price Per Item
Single Height Overshef (shown OS36-60) 	OS36-30	14	30	36	\$1149
	OS36-36	14	36	36	\$1154
	OS36-42	14	42	36	\$1240
	OS36-48	14	48	36	\$1375
	OS36-54	14	54	36	\$1382
	OS36-60	14	60	36	\$1446
	OS36-66	14	66	36	\$1478
	OS36-72	14	72	36	\$1494
	OS36-78	14	78	36	\$1580
Stackable Height Overshef (shown ST15-60) 	ST15-30	14	30	15	\$745
	ST15-36	14	36	15	\$759
	ST15-42	14	42	15	\$848
	ST15-48	14	48	15	\$921
	ST15-54	14	54	15	\$944
	ST15-60	14	60	15	\$978
	ST15-66	14	66	15	\$1002
	ST15-72	14	72	15	\$1035
	ST15-78	14	78	15	\$1068

ELEMENTS

CORNER AND STACKABLE CORNER OVERSHELF

CORNER OVERSHELF EXTENSIONS provide storage for corner applications using a core unit with two overshelf extensions on either side of the core. The core and the extensions are sold separately, the core itself does not have any storage capabilities. The extension overshelves are standard with an open shelf, one 14" column, and a tackboard. You must span the total width of the worksurface that the overshelf is being attached to. The extension overshelves are handed and must be specified as left or right from the seated side of the desk. The direction will be determined by the side the standard column is on. One set of overshelf dividers is included with the shelf (OSSD-2).

STACKABLE CORNER OVERSHELF EXTENSIONS work the same as the stackable overshelf. The applications uses a core filler and two extension overshelves. The stackable core requires at least one stackable extension overshelf. The extension overshelves are standard with an open shelf, and one 14" column. We recommend using where desk are against a wall or installed back to back. One set of overshelf dividers is included with the shelf (OSSD-2).





TO ORDER PRODUCT, SPECIFY...

Clear Column Options - Left and Right - Corner OS Extension

CCL 5" clear column left, no additional charge
CCR 5" clear column right, no additional charge
(clear columns must install where there is a grommet and an elements leg.)

Shelf Divider




OSSD-2 Set of two overshelf dividers, add \$68.

Description	Item Number	D	W	H	Price Per Item
Corner Overshelf Core (shown OSCORE18) 	OSCORE18	18	18	36	\$894
Corner Overshelf Extension-L/R (shown OSEXTL60) 	OSEXT(L/R)36	14	36	36	\$885
	OSEXT(L/R)42	14	42	36	\$943
	OSEXT(L/R)48	14	48	36	\$1007
	OSEXT(L/R)54	14	54	36	\$1125
	OSEXT(L/R)60	14	60	36	\$1152
	OSEXT(L/R)66	14	66	36	\$1212
	OSEXT(L/R)72	14	72	36	\$1266
	OSEXT(L/R)78	14	78	36	\$1323
	OSEXT(L/R)84	14	84	36	\$1386
	OSEXT(L/R)90	14	90	36	\$1439
	OSEXT(L/R)96	14	96	36	\$1522
Stackable Corner Overshelf Core (shown OSCORE18FLR) 	OSCORE18FLR	18	18	15	\$744
Stackable Corner Overshelf Core (shown STEXTOS60) 	STEXTOS36	14	36	15	\$705
	STEXTOS42	14	42	15	\$756
	STEXTOS48	14	48	15	\$831
	STEXTOS54	14	54	15	\$953
	STEXTOS60	14	60	15	\$986
	STEXTOS66	14	66	15	\$1043
	STEXTOS72	14	72	15	\$1101
	STEXTOS78	14	78	15	\$1168
	STEXTOS84	14	84	15	\$1234
	STEXTOS90	14	90	15	\$1313
	STEXTOS96	14	96	15	\$1387

ELEMENTS

OVERSHELF AND CORNER OVERSHELF TOPS

OVERSHELF AND CORNER OVERSHELF TOPS are not required when ordering an overshelf. Overshelf tops can be used in conjunction with wall mount overshelves, overshelves and corner overshelves. When adding overshelf tops the front of the overshelf will still be open. To specify the overshelf top the width must match the width of the overshelf it is used with. When specifying the extension overshelf tops, take the total span of the overshelf and subtract 18" for the core. This will determine the length of the extension top. Please see the example calculation below. When specifying stackable overshelves, only one top needs to be specified for the stackable overshelf.

Description	Item Number	D	W	H	Price Per Item
Overshelf Top (shown OSH60) 	OSH30	N/A	30	N/A	\$282
	OSH36	N/A	36	N/A	\$306
	OSH42	N/A	42	N/A	\$331
	OSH48	N/A	48	N/A	\$368
	OSH54	N/A	54	N/A	\$376
	OSH60	N/A	60	N/A	\$392
	OSH66	N/A	66	N/A	\$407
	OSH72	N/A	72	N/A	\$415
	OSH78	N/A	78	N/A	\$428
Corner Overshelf Extension Top (shown EXT0SH42) 	EXT0SH18	N/A	18	N/A	\$241
	EXT0SH24	N/A	24	N/A	\$264
	EXT0SH30	N/A	30	N/A	\$288
	EXT0SH36	N/A	36	N/A	\$312
	EXT0SH42	N/A	42	N/A	\$338
	EXT0SH48	N/A	48	N/A	\$376
	EXT0SH54	N/A	54	N/A	\$383
	EXT0SH60	N/A	60	N/A	\$399
	EXT0SH66	N/A	66	N/A	\$416
	EXT0SH72	N/A	72	N/A	\$423
Corner Overshelf Extension Top Calculation 	EXT0SH78	N/A	78	N/A	\$436

ELEMENTS



FLIPPER DOORS

FLIPPER DOORS are specified for the wall mount overshelves and overshelves. The size specified should match the size of the overshelf specified. For example, if you are specifying a 60" wide overshelf that you need specify a 60" wide flipper door. Flipper doors that are up to 60" wide include one lock, flipper doors that are 66" wide and larger are separated into two compartments consisting of two doors and two locks. The flipper door includes a flat front allowing them to retract into the overshelf cabinet. When ordering flipper doors you will receive the flipper door front and top. They are available in paint or fabric covered front. The fabric covered doors are not tackable. When specifying flipper doors with stackable overshelves, please use the same flipper door part number.

TO ORDER OPTIONS, SPECIFY...

Key Options

MKEY Master key, add \$51
CRKEY Core removable key, add \$51

Description	Item Number	D	W	H	Price Per Item
Flipper Door (shown EFD60) 	EFD30	N/A	30	N/A	\$439
	EFD36	N/A	36	N/A	\$450
	EFD42	N/A	42	N/A	\$466
	EFD48	N/A	48	N/A	\$489
	EFD54	N/A	54	N/A	\$505
	EFD60	N/A	60	N/A	\$520
	EFD66-2	N/A	66	N/A	\$1074
	EFD72-2	N/A	27	N/A	\$1130
	EFD78-2	N/A	78	N/A	\$1167
Fabric Covered Flipper Door (shown EFD72-2) 	EFDF30	N/A	30	N/A	\$664
	EFDF36	N/A	36	N/A	\$686
	EFDF42	N/A	42	N/A	\$699
	EFDF48	N/A	48	N/A	\$707
	EFDF54	N/A	54	N/A	\$735
	EFDF60	N/A	60	N/A	\$772
	EFDF66-2	N/A	66	N/A	\$1376
	EFDF72-2	N/A	27	N/A	\$1430
	EFDF78-2	N/A	78	N/A	\$1484

ELEMENTS




CORNER EXTENSION FLIPPER DOORS

CORNER EXTENSION FLIPPER DOORS should be specified with corner overshelf units. When specifying the flipper doors, take the total span of the overshelf and subtract 18" for the core. This will determine the length of the extension flipper door to order. Please see the example below for extension flipper door calculations. Flipper doors that are up to 60" wide will have one lock, and flipper doors that are 66" wide and larger are separated into two compartments consisting of two doors and two locks. The flipper door includes a flat front allowing them to retract into the overshelf cabinet. When ordering flipper doors you will receive the flipper door front and top. They are available in paint or fabric covered. The fabric covered doors are not tackable. When specifying flipper doors with stackable overshelves, please use the same flipper door part number.

TO ORDER OPTIONS, SPECIFY...

Key Options

MKEY Master key, add \$51
CRKEY Core removable key, add \$51

Description	Item Number	D	W	H	Price Per Item
Corner Extension Flipper Door (shown EXTEFD42) 	EXTEFD18	N/A	18	N/A	\$399
	EXTEFD24	N/A	24	N/A	\$423
	EXTEFD30	N/A	30	N/A	\$436
	EXTEFD36	N/A	36	N/A	\$456
	EXTEFD42	N/A	42	N/A	\$464
	EXTEFD48	N/A	48	N/A	\$500
	EXTEFD54	N/A	54	N/A	\$528
	EXTEFD60	N/A	60	N/A	\$537
	EXTEFD66-2	N/A	66	N/A	\$1122
	EXTEFD72-2	N/A	72	N/A	\$1130
	EXTEFD78-2	N/A	78	N/A	\$1196
Corner Extension Fabric Flipper Door (shown EXTEFDF66-2) 	EXTEFDF18	N/A	18	N/A	\$578
	EXTEFDF24	N/A	24	N/A	\$599
	EXTEFDF30	N/A	30	N/A	\$664
	EXTEFDF36	N/A	36	N/A	\$687
	EXTEFDF42	N/A	42	N/A	\$699
	EXTEFDF48	N/A	48	N/A	\$707
	EXTEFDF54	N/A	54	N/A	\$735
	EXTEFDF60	N/A	60	N/A	\$772
	EXTEFDF66-2	N/A	66	N/A	\$1376
	EXTEFDF72-2	N/A	72	N/A	\$1430
	EXTEFDF78-2	N/A	78	N/A	\$1484
Corner Extension Flipper Door Calculation 					

ELEMENTS





PRIVACY TILES

PRIVACY TILES come in two different heights, 13¹/₂" and 22¹/₂". The 13¹/₂" are used for transaction counters and transaction height privacy. This is the only height that we recommend using a transaction counter with. The 22¹/₂" high tiles are used for seated privacy. These will match up to the height of a tackboard underneath an overshef.

Privacy tiles must match the width of the worksurface they are attaching to. They come standard with two 6" columns on either side. These columns will attach through a port hole next to the grommets and down into the Elements leg, providing a secure attachment to the worksurface. Privacy tiles are standard with a tackboard on the seated side and painted metal on the approach side.

Privacy tiles should only be specified with Elements desks.



PRIVACY END TILES are used when privacy is needed on either side of the worksurface. They span the depth of the desk and must be used in conjunction with a privacy tile. End tiles must be specified at the same height of the privacy tile it is attaching to. One end of the tile attached to the privacy tile while the other end must woodscrew to the worksurface. Since the end of the tile must woodscrew to the worksurface and there is no 6" column, we do not recommend placing a transaction counter over the end tiles. End tiles are standard with with a fabric covered tackboard on the seated side and painted on the approach side.

Description	Item Number	D	W	H	Price Per Item
13¹/₂" Privacy Tile (shown PT1348) 	PT1324	N/A	24	13 ¹ / ₂	\$470
	PT1330	N/A	30	13 ¹ / ₂	\$482
	PT1336	N/A	36	13 ¹ / ₂	\$498
	PT1342	N/A	42	13 ¹ / ₂	\$514
	PT1348	N/A	48	13 ¹ / ₂	\$524
	PT1354	N/A	54	13 ¹ / ₂	\$547
	PT1360	N/A	60	13 ¹ / ₂	\$555
	PT1366	N/A	66	13 ¹ / ₂	\$573
	PT1372	N/A	72	13 ¹ / ₂	\$577
	PT1378	N/A	78	13 ¹ / ₂	\$603
13¹/₂" Privacy End Tile (shown PT1324-E/R) 	PT1324-E-(L/R)	N/A	24	13 ¹ / ₂	\$393
	PT1330-E-(L/R)	N/A	30	13 ¹ / ₂	\$405
	PT1336-E-(L/R)	N/A	36	13 ¹ / ₂	\$420
22¹/₂" Privacy Tile (shown PT2248) 	PT2224	N/A	24	22 ¹ / ₂	\$541
	PT2230	N/A	30	22 ¹ / ₂	\$555
	PT2236	N/A	36	22 ¹ / ₂	\$567
	PT2242	N/A	42	22 ¹ / ₂	\$597
	PT2248	N/A	48	22 ¹ / ₂	\$608
	PT2254	N/A	54	22 ¹ / ₂	\$644
	PT2260	N/A	60	22 ¹ / ₂	\$650
	PT2266	N/A	66	22 ¹ / ₂	\$681
	PT2272	N/A	72	22 ¹ / ₂	\$686
	PT2278	N/A	78	22 ¹ / ₂	\$714
22¹/₂" Privacy End Tile (shown PT2248-E-L) 	PT2224-E-(L/R)	N/A	24	22 ¹ / ₂	\$433
	PT2230-E-(L/R)	N/A	30	22 ¹ / ₂	\$450
	PT2236-E-(L/R)	N/A	36	22 ¹ / ₂	\$474

ELEMENTS

PRIVACY TIER TILES



PRIVACY TIER TILES are used when standing height privacy is needed. These will match the height of the overshelves. The bottom part of the tier is 22¹/₂" and the top is 13¹/₂". Privacy tiles must match the worksurface they are attaching to. They come standard with two 6" columns on either side. These columns will attach through a port hole next to the grommets and down into an Elements leg. Privacy tiles are standard with a tackboard on the seated side and painted metal on the approach side.

Description	Item Number	D	W	H	Price Per Item
36" Privacy Tier Tile (shown PTTIER48) 	PTTIER24	N/A	24	36	\$621
	PTTIER30	N/A	30	36	\$871
	PTTIER36	N/A	36	36	\$906
	PTTIER42	N/A	42	36	\$937
	PTTIER48	N/A	48	36	\$972
	PTTIER54	N/A	54	36	\$1043
	PTTIER60	N/A	60	36	\$1054
	PTTIER66	N/A	66	36	\$1105
	PTTIER72	N/A	72	36	\$1118
	PTTIER78	N/A	78	36	\$1169
36" Privacy Tier End Tile (shown PTTIER24-E/R) 	PTTIER24-E-(L/R)	N/A	24	36	\$635
	PTTIER30-E-(L/R)	N/A	30	36	\$669
	PTTIER36-E-(L/R)	N/A	36	36	\$710

ELEMENTS

SPECIAL PRIVACY TILES


SPECIAL PRIVACY TILES are used in situations where you need privacy on a desk extending from an overshelf column. One side of the privacy tile is tech screwed to the front side of the overshelf column, while the other side will have a 6" column that attaches to the desk. The size is determined by taking the size of the desk that the privacy tile will be mounting to and subtracting the depth of the overshelf column. The overshelf column is 14" deep, these tiles cannot be used with the 6" column. The tiles are handed and must be specified as left or right. The direction indicates the side the privacy tile column will be located determined from the seated side of the desk. When using transaction counters you must use the special privacy tile to span the first worksurface and use a standard privacy tile to span the second worksurface. Transaction counters must attach over two privacy tile columns. See the photograph on the next page for details.

Description	Item Number	D	W	H	Price Per Item
13¹/₂" Special Privacy Tile (shown PT1346R-1) 	PT1316(L/R)-1	N/A	16	13 ¹ / ₂	\$455
	PT1322(L/R)-1	N/A	22	13 ¹ / ₂	\$500
	PT1328(L/R)-1	N/A	28	13 ¹ / ₂	\$513
	PT1334(L/R)-1	N/A	34	13 ¹ / ₂	\$531
	PT1340(L/R)-1	N/A	40	13 ¹ / ₂	\$549
	PT1346(L/R)-1	N/A	46	13 ¹ / ₂	\$558
	PT1352(L/R)-1	N/A	52	13 ¹ / ₂	\$582
	PT1358(L/R)-1	N/A	58	13 ¹ / ₂	\$590
	PT1364(L/R)-1	N/A	64	13 ¹ / ₂	\$610
	PT1370(L/R)-1	N/A	70	13 ¹ / ₂	\$613
	PT1376(L/R)-1	N/A	76	13 ¹ / ₂	\$642
22¹/₂" Special Privacy Tile (shown PT2246R-1) 	PT2216(L/R)-1	N/A	16	13 ¹ / ₂	\$523
	PT2222(L/R)-1	N/A	22	13 ¹ / ₂	\$576
	PT2228(L/R)-1	N/A	28	13 ¹ / ₂	\$590
	PT2234(L/R)-1	N/A	34	13 ¹ / ₂	\$604
	PT2240(L/R)-1	N/A	40	13 ¹ / ₂	\$637
	PT2246(L/R)-1	N/A	46	13 ¹ / ₂	\$647
	PT2252(L/R)-1	N/A	52	13 ¹ / ₂	\$686
	PT2258(L/R)-1	N/A	58	13 ¹ / ₂	\$692
	PT2264(L/R)-1	N/A	64	13 ¹ / ₂	\$726
	PT2270(L/R)-1	N/A	70	13 ¹ / ₂	\$731
	PT2276(L/R)-1	N/A	76	13 ¹ / ₂	\$761


ELEMENTS

SPECIAL PRIVACY TIER TILES


SPECIAL PRIVACY TIER TILES are used in situations where you need privacy on a desking extending from an overshelf column. One side of the privacy tile is tech screwed to the front side of the overshelf column, while the other side will have a 6" column that attaches to the desk. The size is determined by taking the size of the desk that the privacy tile will be mounting to and subtracting the depth of the overshelf column. The overshelf column is 14" deep. These tiles are handed and must be specified as left or right.

Description	Item Number	D	W	H	Price Per Item
36" Special Privacy Tier Tile (shown PTTIER46L-1) 	PTTIER16(L/R)-1	N/A	16	36	\$842
	PTTIER22(L/R)-1	N/A	22	36	\$926
	PTTIER28(L/R)-1	N/A	28	36	\$956
	PTTIER34(L/R)-1	N/A	34	36	\$997
	PTTIER40(L/R)-1	N/A	40	36	\$1029
	PTTIER46(L/R)-1	N/A	46	36	\$1069
	PTTIER52(L/R)-1	N/A	52	36	\$1146
	PTTIER58(L/R)-1	N/A	58	36	\$1160
	PTTIER64(L/R)-1	N/A	64	36	\$1215
	PTTIER70(L/R)-1	N/A	70	36	\$1231
	PTTIER76(L/R)-1	N/A	76	36	\$1286

Special Privacy Tile Calculation





Special Privacy Tile Application



ELEMENTS

TRANSACTION TOPS




TRANSACTION TOPS are used in conjunction with standard 13¹/₂" privacy tiles to create a standing height surface. When choosing the width of the transaction tops, it must match the width of the privacy tile it will attach to. The point of attachment for the transaction tops are the 6" columns on the privacy tiles. They should not be specified in conjunction with the special privacy tiles because those tiles only have one column to attach to.

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
Straight Transaction Top (shown 48TRANS) 	24TRANS	14	24	N/A	\$232	\$302
	30TRANS	14	30	N/A	\$259	\$336
	36TRANS	14	36	N/A	\$277	\$360
	42TRANS	14	42	N/A	\$299	\$389
	48TRANS	14	48	N/A	\$305	\$396
	54TRANS	14	54	N/A	\$342	\$443
	60TRANS	14	60	N/A	\$358	\$465
	66TRANS	14	66	N/A	\$375	\$487
	72TRANS	14	72	N/A	\$387	\$505
Radius Transaction Top (shown 48TRANSO) 	30TRANSO	14	30	N/A	\$259	\$338
	36TRANSO	14	36	N/A	\$277	\$360
	42TRANSO	14	42	N/A	\$299	\$389
	48TRANSO	14	48	N/A	\$305	\$369
	54TRANSO	14	54	N/A	\$342	\$443
	60TRANSO	14	60	N/A	\$358	\$465
	66TRANSO	14	66	N/A	\$375	\$487
	72TRANSO	14	72	N/A	\$387	\$505

ELEMENTS TRANSACTION TOPS

L-SHAPED TRANSACTION TOPS are used as a left or right-handed transaction top with a 24" or 30" wide returns. The length can be ordered to match standard table length for a full wrap-around transaction counter. The direction is determined from the seated side. If the shorter side of the transaction top is on the left, then the top is considered a left and if the shorter side of the transaction top is on the right, then the top is considered a right.

CORNER TRANSACTION TOPS can be used with corner worksurfaces. There are two size options 36" and 42".

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
24" Deep L-Shape Transaction Top (shown 2472CRNTT-L)						
	2424CRNTT-(L/R)	14	31 1/2	31 1/2	N/A	\$581
	2430CRNTT-(L/R)	14	31 1/2	37 1/2	N/A	\$613
	2436CRNTT-(L/R)	14	31 1/2	47 1/2	N/A	\$644
	2442CRNTT-(L/R)	14	31 1/2	49 1/2	N/A	\$692
	2448CRNTT-(L/R)	14	31 1/2	55 1/2	N/A	\$704
	2454CRNTT-(L/R)	14	31 1/2	61 1/2	N/A	\$750
	2460CRNTT-(L/R)	14	31 1/2	67 1/2	N/A	\$781
	2466CRNTT-(L/R)	14	31 1/2	73 1/2	N/A	\$846
	2472CRNTT-(L/R)	14	31 1/2	79 1/2	N/A	\$856
30" Deep L-Shape Transaction Top (shown 3072CRNTT-R)						
	3024CRNTT-(L/R)	14	37 1/2	31 1/2	N/A	\$671
	3030CRNTT-(L/R)	14	37 1/2	37 1/2	N/A	\$672
	3036CRNTT-(L/R)	14	37 1/2	47 1/2	N/A	\$705
	3042CRNTT-(L/R)	14	37 1/2	49 1/2	N/A	\$751
	3048CRNTT-(L/R)	14	37 1/2	55 1/2	N/A	\$779
	3054CRNTT-(L/R)	14	37 1/2	61 1/2	N/A	\$839
	3060CRNTT-(L/R)	14	37 1/2	67 1/2	N/A	\$873
	3066CRNTT-(L/R)	14	37 1/2	73 1/2	N/A	\$907
	3072CRNTT-(L/R)	14	37 1/2	79 1/2	N/A	\$957
Corner Transaction Tops (shown 36CRNTT)						
	36CRNTT	14	43 1/2	N/A	\$666	\$868
	42CRNTT	14	49 1/2	N/A	\$708	\$920

ELEMENTS AND TRAINING TABLES

FOUR CIRCUIT POWER COMPONENTS

POWERED DESKS When powering desks, you must specify the PB option, a power infeed, receptacles, and jumpers. The Power Beam is installed by the factory in the wire manager if the PB option is ordered at the same time the desk is ordered. The Power Beam comes standard with a WMC (wire manager cover). This is where your receptacles will install. The jumpers are used to connect power from Power Beam to Power Beam. The infeed, either plug-in or hardwire, connects from the wall to the first Power Beam. Power beam allows up to 2 receptacles per beam. There are also 2 locations where data ports or phone jacks can be specified. Keep in mind, Design Options only supplies the jack and plate for the phone and data jacks. Desks 42" and smaller may have a receptacle blocked when a pedestal or other accessory is ordered.

These electrical components can be used in the Elements and training table lines ONLY.

POWER INFEEDS are either plug-in or hardwire. The plug-in is used in conjunction with a 20 amp wall receptacle. The hardwire must be done by an electrician. You have the option of running up to 4 circuits per hardwire. Plug-in power feeds can only be used with circuit 1 receptacles. The maximum number of circuit 1's on a plug-in is 13. You can place up to 13 of the same circuit number on a hardwire power feed and a maximum of 52 receptacles.

JUMPERS are used to get power from PB to PB. Please use the formulas and diagrams at right to determine the length of jumpers that you need.

POWER POLES are used when you need to get power from the ceiling to the worksurface. The power pole is 3" x 3" x 10' high. You must specify a PF180 when using a power pole.


Description	Item Number	D	W	H	Price Per Item
4 Circuit System Power Components					
Power In-Feeds					
6' Hardwire Power Feed.....	PF72	N/A	72	N/A	\$230
15' Hardwire Power Feed	PF180	N/A	180	N/A	\$320
6' Plug-In Power Feed.....	PFPLUG	N/A	72	N/A	\$426
Power Poles					
Power Pole.....	PPOLE25TC-4	36	36	120	\$568
Painted Power Pole	PPOLE25TC-4-PT	36	36	120	\$879
Jumpers					
24" Jumper.....	225057-24	N/A	24	N/A	\$169
32" Jumper.....	225057-32	N/A	32	N/A	\$187
44" Jumper.....	225057-44	N/A	44	N/A	\$204
56" Jumper.....	225057-56	N/A	56	N/A	\$214
Jumper to Jumper Connector.....	I-CONNECTOR	N/A	N/A	N/A	\$79
Receptacles					
#1-Utility Receptacle	REC1	N/A	N/A	N/A	\$60
#2-Utility Receptacle	REC2	N/A	N/A	N/A	\$60
#3-Utility Receptacle	REC3	N/A	N/A	N/A	\$60
#4-Utility/Designated Receptacle	REC4	N/A	N/A	N/A	\$60
Low Voltage					
Cat 5 Data Jack.....	RJ45-CAT5	N/A	N/A	N/A	\$54
Std Phone Jack	RJ11	N/A	N/A	N/A	\$54

ELEMENTS AND TRAINING TABLES

FOUR CIRCUIT POWER JUMPER DIAGRAMS

JUMPER CALCULATIONS AND EXAMPLES Please use the formulas and diagrams found below to determine the length of jumpers that you need.

There are only 4 sizes so you may have to combine them from time to time using an I-connector. When calculating the size required, make sure you round up in size. For example, if you calculate that you need a 26" jumper, then you must specify a 32" jumper, NOT a 24".




BACK TO END CONNECTION

calculate (total span) divided by 2, minus 10
 $(60 + 48) / 2 = 54$

$$54 - 10 = 44$$

answer 44" jumper




END TO END CONNECTION

calculate (total span) divided by 2, minus 16
 $(48 + 48) / 2 = 48$

$$48 - 16 = 32$$

answer 32" jumper




BACK TO BACK CONNECTION

calculate (total span) divided by 2, minus 10
 $(48 + 48) / 2 = 48$

$$48 - 10 = 38$$

answer 38" jumper (round up to 44")




L-SHAPE CONNECTION

calculate (total span of both W/S) divided by 2, minus 16, plus depth of leg
 $(48 + 60) / 2 = 54$

$$54 - 16 = 38$$

$$38 + 24 = 62$$

answer 44" jumper + I-Connector + 32" jumper (76" total)



BYPASS CONNECTION

calculate (total span) divided by 2, minus 16, plus distance to span
 $(36 + 36) / 2 = 36$

$$36 - 16 = 20$$

$$20 + 72 = 92$$

answer 44" jumper + I-Connector + 56" jumper (100" total)




END TO END CONNECTION (WITH PEDESTALS)

calculate (total span) divided by 2, minus 16
 $(60 + 60) / 2 = 60$

$$60 - 16 = 44$$

answer add 10" when jumping behind ped
 $44" + 10" = 54"$ jumper (round up to 56")




BACK TO BACK CONNECTION (WITH MODESTY PANELS)

calculate (total span) divided by 2, minus 10
 $(48 + 48) / 2 = 48$

$$48 - 10 = 38$$

answer 44" jumper (because you are jumping through a modesty panel you must increase the jumper size to 44")



CORNER LEG/BACK TO BACK CONNECTION

calculate (total span) divided by 2, minus 10
 $(42 + 42) / 2 = 42$

$$42 - 10 = 32$$

answer 32" jumper

ELEMENTS AND TRAINING TABLES

DAISY CHAIN POWER COMPONENTS

DAISY CHAINED POWERED SYSTEM A series of 8 pop-up modules placed on top of a worksurface. These 8 modules must always follow a sequence. The first module, (X/A) contains the infeed plug and a jumper. The plug-in cord is 5' long and has a reset fuse. Each additional module contains 5' jumpers that connect the modules and are mechanically interlocked. The jumpers are installed sequentially and are keyed and color coded to prevent any misconnection. Since the jumpers are only 5' long you must specify two modules on the worksurface when specifying a 66" table. The tables must be specified to have cut-outs to house the power modules. The module locations must be the same for every table in the chained sequence.

TO ORDER PRODUCT, SPECIFY...

Power Module Locations (Must be specified in the table)

TLV-L 5" from the approach and 8" from the left edge
TLV-R 5" from the approach and 8" from the right edge
TLV-C 5" from the approach and centered on the desk

STAND ALONE POWER MODULE The stand-alone power module (SPM) is a single circuit pop-up module that is installed on the worksurface. These modules contain a plug-in power feed, with a 10' power cord, only. They are to be used to plug directly into the wall or into a duplex receptacle underneath the worksurface. They do not contain jumpers. The tables must be specified to have cut-outs to house the power module.

TO ORDER PRODUCT, SPECIFY...

Power Module Locations (Must be specified in the table)


SPM-L 5" from the approach and 8" from the left edge
SPM-R 5" from the approach and 8" from the right edge
SPM-C 5" from the approach and centered on the desk

Description	Item Number	D	W	H	Price Per Item
Daisy Chain Single Circuit Components					
X/A Module					
Module, Plug-in Power Feed and Jumper	LV-DT-X/A-MDL	21/2	6	N/A	\$439
A/B Module					
Module and Jumper.....	LV-DT-A/B-MDL	21/2	6	N/A	\$248
B/C Module					
Module and Jumper.....	LV-DT-B/C-MDL	21/2	6	N/A	\$248
C/D Module					
Module and Jumper.....	LV-DT-C/D-MDL	21/2	6	N/A	\$248
D/E Module					
Module and Jumper.....	LV-DT-D/E-MDL	21/2	6	N/A	\$248
E/F Module					
Module and Jumper.....	LV-DT-E/F-MDL	21/2	6	N/A	\$248
F/G Module					
Module and Jumper.....	LV-DT-F/G-MDL	21/2	6	N/A	\$248
G/X Module					
Module and Jumper.....	LV-DT-G/X-MDL	21/2	6	N/A	\$248
Single Circuit Surface Power Module					
SPM					
Module and Plug-in Power Feed	SPM305001-1-6	21/2	6	N/A	\$281

ELEMENTS AND TRAINING TABLES

DAISY CHAIN MODULE DIAGRAMS

DAISY CHAIN MODULE DIAGRAMS



ACCESSORIES

DESK ACCESSORIES

DESK ACCESSORIES The desking accessories listed below can be specified with any of our furniture lines. Please contact our Customer Service department if you have any questions or concerns regarding these items.

BLACK PLASTIC CENTER DRAWER Features full extension slides.







METAL PAINTED CENTER DRAWER Features full extension slides. Must specify a paint color.

ARTICULATING KEYBOARD PLATFORM Available for 28¹/₂" or higher worksurfaces. Platform slides forward and backward, tilts, and swivels up to 30 degrees. Platform has 4" vertical adjustment to level with the worksurface, except on 36" corner worksurfaces where the platform adjusts only to the bottom of the worksurface. Includes mouse pad. Black only.

ECONOMY CPU HOLDER Vertically mounts to underside of worksurface. The length is adjustable from 15" to 19" and the width is adjustable from 5.5" to 9.8". Black only.

RIGHT ANGLE CPU HOLDER Vertically mounts to underside of worksurface. Self-locking ratchet style storage device. Height adjustable 13" to 25". Width adjustable 3" to 8". Supports up to 85 lbs. Black only.

CPU DOLLY Adjustable width mobile CPU holder on locking casters. Width adjustable from 3" to 8". Supports up to 85 lbs. Black only.

Description	Item Number	D	W	H	Price Per Item
Black Plastic Center Drawer 	CD1720	17	20	3 ¹ / ₂	\$123
Metal Painted Center Drawer 	24125	16	16	3 ¹ / ₂	\$257
Articulating Keyboard 	RK4130	11 ¹ / ₂	27	N/A	\$457
Economy CPU Holder 	CPU-C730	N/A	N/A	N/A	\$154
Right Angle CPU Holder 	CPU-RA	N/A	N/A	N/A	\$451
Mobile CPU Holder 	ACCPU	N/A	N/A	N/A	\$192

ACCESSORIES








OVERSHELF ACCESSORIES

OVERSHELF ACCESSORY RACKS The overshelf accessory rack mounts in front of the tackboard and can slide side-to-side. Paper trays, paper sorters, and telephone stands all attach to these racks.

The 21" high accessory rack is used for overshelves, 22" high privacy tiles, and wall mount tackboards. This rack can hang up to six paper trays, or three paper trays with either a paper sorter or telephone stand.

The 12" high accessory rack is used for 13" high privacy tiles only. This rack can hang three paper trays, or one paper sorter or telephone stand.

TASK LIGHTS Tasks lights are installed underneath our wall mount overshelves and non-tiling overshelves. The lights use energy efficient GT8 Octron Rapidstart fluorescent lamps and includes a diffuser lens.

Description		Item Number	D	W	H	Price Per Item
13" High Accessory Rack		OSM13	N/A	13	12	\$143
22" High Accessory Rack		OSM22	N/A	13	21	\$159
Paper Management Tray		PTRAY	N/A	13	1 1/2	\$72
Paper Management Sorter		PSORT	N/A	13	9	\$240
Telephone Stand		TELSTD	N/A	13	5	\$106
24" Wide Task Light		TL24	N/A	N/A	N/A	\$165
48" Wide Task Light		TL48	N/A	N/A	N/A	\$207

ELEMENTS

TR SERIES TRAINING TABLES

TR SERIES TRAINING TABLES are used in training environments. These tables can be powered using any of our powering systems. Worksurface height is 28½" high standard. Two utility grommets are standard on these desks. Integrated wire management runs horizontally and vertically through the legs. Training tables cannot be used in conjunction with oversheaf units, privacy tiles, or transaction counters.

CENTER SUPPORTED TRAINING TABLES or -2 training tables, see next page, are designed with an additional leg for support. These tables can be powered using any of our powering systems. Worksurface height is 28½" high standard. Two utility grommets are standard on these desks. Integrated wire management runs horizontally and vertically through the legs. Training tables cannot be used in conjunction with oversheaf units, privacy tiles, or transaction counters. These tables can have up to two power beams, allowing for more powering capabilities.

TRAINING TRANSITIONAL WORKSURFACES are used to connect two training tables, see next page. The triangular worksurface is a top only and must attach to two worksurfaces. These tops do not include any grommets or any wire management capabilities. Attachment hardware is included when they are shipped.

TRAPEZOID WORKSURFACES are freestanding. There are only two different sizes available. Integrated wire management runs horizontally and vertically through the legs. Training tables are not to be used in conjunction with oversheaf units, privacy tiles, or transaction counters. The wider part of the trapezoid is the seated side.

Description

Item Number

D

W

H



Price Per Item

TM

DF

24" Deep Training Table

(shown TR2460D)



TR2424D

24

24

28½"

\$559

\$779

TR2430D

24

30

28½"

\$621

\$807

TR2436D

24

36

28½"

\$669

\$871

TR2442D

24

42

28½"

\$675

\$878

TR2448D

24

48

28½"

\$714

\$928

TR2454D

24

54

28½"

\$785

\$1022

TR2460D

24

60

28½"

\$864

\$1123

TR2466D

24

66

28½"

\$929

\$1207

TR2472D

24

72



28½"

\$951

\$1236

30" Training Tables

(shown TR3060D)



TR3024D

30

24

28½"

\$638

\$830

TR3030D

30

30

28½"

\$659

\$857

TR3036D

30

36

28½"

\$709

\$921

TR3042D

30

42

28½"

\$722

\$939

TR3048D

30

48

28½"

\$753

\$979

TR3054D

30

54

28½"

\$833

\$1081

TR3060D

30

60

28½"

\$910

\$1184

TR3066D

30

66

28½"

\$977

\$1270

TR3072D

30

72

28½"

\$1001

\$1301

ELEMENTS

TR SERIES TRAINING TABLES

TO ORDER PRODUCT, SPECIFY...

Surface

TM	Flat T-Mold edge
3MM	3MM edge
DF	DesignForm

TO ORDER OPTIONS, SPECIFY...

Height Options

TRWC	33" Wheel Chair Height, add \$310
M	25 ¹ / ₂ " Machine Height, add \$96
SU	38" Standing Height, add \$327
HA	Height Adjustable Base from 24" to 33" in 1" increments, add \$445 (legs adjusted on pin system, cannot be powered)

Wire Management Option





WMC	Wire Manager Cover, add \$65
-----	------------------------------

Power Option

PB	Power Beam only, add \$153 per power beam (not available on 24" wide training tables) (receptacles, jumpers and in-feed separate, page 36) (-2 training tables have the option of two power beams)
----	---

Mobile Option

TRMBL	Finishes at 28 ¹ / ₂ " add \$282 (legs are 25 ¹ / ₂ " high with 3" casters)
-------	--

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
36" Deep Training Table (shown TR3660D) 	TR3636D TR3642D TR3648D TR3654D TR3660D TR3666D TR3672D	36 36 36 36 36 36 36	36 42 48 54 60 66 72	28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂	\$740 \$743 \$761 \$951 \$1008 \$1100 \$1120	\$962 \$965 \$989 \$1237 \$1311 \$1429 \$1456
-2 Training Table (shown TR3072D-2) 	TR2472D-2 TR2484D-2 TR2496D-2 TR3072D-2 TR3084D-2 TR3096D-2 TR3672D-2	24 24 24 30 30 30 36	72 84 96 72 84 96 72	28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂	\$1276 \$1409 \$1512 \$1340 \$1352 \$1419 \$1504	\$1659 \$1832 \$1966 \$1742 \$1757 \$1845 \$1957
Transitional Training Worksurface (shown 2424CI) 	2424CI	24	24	28 ¹ / ₂	\$257	\$335
Trapezoid Training Table (shown 2448TRAPCI-D) 	2448TRAPCI-D 3060TRAPCI-D	24 30	48 60	28 ¹ / ₂ 28 ¹ / ₂	\$786 \$1019	\$1022 \$1325

ELEMENTS

WIRE ACCESS TRAINING TABLES

WIRE ACCESS TRAINING TABLES have a lockable door on the approach side of the desk. The door is not accessible from the seated side of the desk. These tables can be powered using any of our powering systems. A plenum separates high voltage and low voltage cables. Our 8 wire electrical system can be easily installed and ports for low voltage jacks are provided. Low voltage power modules may be mounted desk top or secured behind the lockable door. Two utility grommets are standard in the top of the worksurface. Integrated wire management runs horizontally and vertically through the legs. Worksurfaces have a standard height of 28¹/₂" high. Training tables are not to be used in conjunction with overself units, privacy tiles, or transaction counters.

TO ORDER PRODUCT, SPECIFY...

Surface

TM	Flat T-Mold edge
3MM	3MM edge
DF	DesignForm

TO ORDER OPTIONS, SPECIFY...

Height Options

TRWC	33" Wheel Chair Height, add \$310
M	25 ¹ / ₂ " Machine Height, add \$96
SU	38" Standing Height, add \$327

Power Option

PB	Power Beam only, add \$186 per power beam (receptacles, jumpers and in-feed separate, page 36)
----	--

Mobile Option

TRMBL	Finishes at 28 ¹ / ₂ ", add \$282 (legs are 25 ¹ / ₂ " legs with 3" casters)
-------	--

Key Option

MKEY	Master key, add \$52
CRKEY	Core removable key, add \$52

Description	Item Number	D	W	H	Price Per Item	
					TM/3M	DF
24" Deep Wire Access Training Table (shown TR2460D-WA)	TR2436D-WA	24	36	28 ¹ / ₂	\$741	\$962
	TR2442D-WA	24	42	28 ¹ / ₂	\$747	\$972
	TR2448D-WA	24	48	28 ¹ / ₂	\$790	\$1026
	TR2460D-WA	24	60	28 ¹ / ₂	\$870	\$1131
	TR2472D-WA	24	72	28 ¹ / ₂	\$1029	\$1338
30" Deep Wire Access Training Table (shown TR3060D-WA)	TR3036D-WA	30	36	28 ¹ / ₂	\$784	\$1020
	TR3042D-WA	30	42	28 ¹ / ₂	\$800	\$1040
	TR3048D-WA	30	48	28 ¹ / ₂	\$833	\$1081
	TR3060D-WA	30	60	28 ¹ / ₂	\$919	\$1195
	TR3072D-WA	30	72	28 ¹ / ₂	\$1081	\$1406

ELEMENTS

STATIC "T" TABLES

FIXED T-BASE CONFERENCE TABLES are available in three different top types, Rectangle, Racetrack and Boat Shape conference tables ship standard with two round "T" style bases. These tables are available with t-mold, 3MM edging or DesignForm. The conference table base comes standard with a powder coat base in any of our available paint colors and includes leveling glides. Tables 84" and wider include deflection bar standard.

Please add suffix to identify top shape, if no suffix is specified the top will ship as a Rectangle.

TO ORDER PRODUCT, SPECIFY...

Surface

TM	Flat T-Mold edge
3MM	3MM edge
DF	DesignForm

TO ORDER OPTIONS, SPECIFY...

Conference Top Shape Option

RC	Rectangle
BT	Boat
RT	Racetrack

Conference Leg Option

ARC	Arc Legs, add \$51 per table
-----	------------------------------

Gangclamp

GC	Gangclamp, add \$61
MBL	Mobile option, add \$115 (includes locking casters)
GR	Grommet option, add \$36 each
MP	9" High Modesty panel option, add \$156

Description	Item Number	D	W	H	Price Per Item	
					TM/3MM DF	
60" Wide Conference Tables (shown 2460DTBL) (standard rectangle shown)	1860TBL	18	60	28½	\$731	\$952
	2060TBL	20	60	28½	\$793	\$1032
	2460TBL	24	60	28½	\$851	\$1106
	3060TBL	30	60	28½	\$887	\$1153
	3660TBL	36	60	28½	\$929	\$1209
72" Wide Conference Tables (shown 2472TBL-BT) (racetrack top shown)	1872TBL	18	72	28½	\$757	\$984
	2072TBL	20	72	28½	\$852	\$1107
	2472TBL	24	72	28½	\$881	\$1145
	3072TBL	30	72	28½	\$924	\$1200
	3672TBL	36	72	28½	\$979	\$1274
84" Wide Conference Tables (shown 2484TBL-BT) (boat top shown)	4272TBL	42	72	28½	\$1456	\$1892
	1884TBL	18	84	28½	\$857	\$1115
	2084TBL	20	84	28½	\$882	\$1148
	2484TBL	24	84	28½	\$914	\$1188
	3084TBL	30	84	28½	\$991	\$1289
96" Wide Conference Tables (shown 2496TBL-RC, ARC) (rectangle top shown, with ARC legs)	3684TBL	36	84	28½	\$1230	\$1599
	4284TBL	42	84	28½	\$1547	\$2010
	1896TBL	18	96	28½	\$865	\$1125
	2096TBL	20	96	28½	\$901	\$1172
	2496TBL	24	96	28½	\$961	\$1249
	3096TBL	30	96	28½	\$1131	\$1470
	3696TBL	36	96	28½	\$1302	\$1691
	4296TBL	42	96	28½	\$1603	\$2084

ELEMENTS

FOLDING TABLES

FOLDING CONFERENCE TABLES are available in three different top types, Rectangle, racetrack and boat shape conference tables ship standard with two round "T" style folding bases. Tables are available with 3mm edging only. The conference table base comes standard with a powder coat base in any of our available paint colors and includes leveling glides. Tables 84" and wider include deflection bar standard.

Please add suffix to identify top shape, if no suffix is specified the top will ship as a Rectangle.

TO ORDER PRODUCT, SPECIFY...

Surface

TM Flat T-Mold edge
3MM 3MM edge

TO ORDER OPTIONS, SPECIFY...

Conference Top Shape Option,

RC Rectangle
BT Boat
RT Racetrack

Conference Leg Option

ARC Arc Legs, add \$51 per table





Gangclamp

GC Gangclamp, add \$61

MBL Mobile option, add \$115
(includes locking casters)

GR Grommet option, add \$36 each

MP 9" High Modesty panel option, add \$159

Description	Item Number	D	W	H	Price Per Item	
TM/3MM						
60" Wide Folding Tables (shown 2460FDTBL-RC) (standard rectangle shown)		1860FDTBL	18	60	28 ¹ / ₂	\$956
		2060FDTBL	20	60	28 ¹ / ₂	\$1018
		2460FDTBL	24	60	28 ¹ / ₂	\$1076
		3060FDTBL	30	60	28 ¹ / ₂	\$1112
		3660FDTBL	36	60	28 ¹ / ₂	\$1154
72" Wide Folding Tables (shown 2472FDTBL-RT) (racetrack top shown)		1872FDTBL	18	72	28 ¹ / ₂	\$982
		2072FDTBL	20	72	28 ¹ / ₂	\$1077
		2472FDTBL	24	72	28 ¹ / ₂	\$1106
		3072FDTBL	30	72	28 ¹ / ₂	\$1149
		3672FDTBL	36	72	28 ¹ / ₂	\$1204
4272FDTBL	42	72	28 ¹ / ₂	\$1361		
84" Wide Folding Tables (shown 2484FDTBL-BT) (boat top shown)		1884FDTBL	18	84	28 ¹ / ₂	\$1082
		2084FDTBL	20	84	28 ¹ / ₂	\$1107
		2484FDTBL	24	84	28 ¹ / ₂	\$1139
		3084FDTBL	30	84	28 ¹ / ₂	\$1216
		3684FDTBL	36	84	28 ¹ / ₂	\$1455
4284FDTBL	42	84	28 ¹ / ₂	\$1484		
96" Wide Folding Tables (shown 2496FDTBL-RC, ARC) (rectangle top shown, with ARC legs)		1896FDTBL	18	96	28 ¹ / ₂	\$1090
		2096FDTBL	20	96	28 ¹ / ₂	\$1126
		2496FDTBL	24	96	28 ¹ / ₂	\$1186
		3096FDTBL	30	96	28 ¹ / ₂	\$1356
		3696FDTBL	36	96	28 ¹ / ₂	\$1526
4296FDTBL	42	96	28 ¹ / ₂	\$1636		

ELEMENTS

NESTING TABLES




NESTING CONFERENCE TABLES are available in 3MM edging on a rectangle top and standard with two round “T” style bases. The tables include a handle release which mounts on the underside of the table, and is centered on the table length close to the edge of the table. The single handle allows for one individual to release both mechanisms simultaneously and flip the table for nesting. The table base come standard with a powder coat base in any of our available paint colors.

TO ORDER PRODUCT, SPECIFY...

Surface
3MM 3MM edge

ORDER OPTIONS, SPECIFY...

MBL Mobile option, add \$106

Description	Item Number	D	W	H	Price Per Item
3MM					
48" Wide Nesting Tables 	2448NTABL	24	48	28 ¹ / ₂	\$1064
	3048NTABL	30	48	28 ¹ / ₂	\$1119
	3648NTABL	36	48	28 ¹ / ₂	\$1278
60" Wide Nesting Tables 	2460NTABL	24	60	28 ¹ / ₂	\$1109
	3060NTABL	30	60	28 ¹ / ₂	\$1159
	3660NTABL	36	60	28 ¹ / ₂	\$1373
72" Wide Nesting Tables 	2472NTABL	24	72	28 ¹ / ₂	\$1154
	3072NTABL	30	72	28 ¹ / ₂	\$1209
	3672NTABL	36	72	28 ¹ / ₂	\$1419

ELEMENTS

ROUND / SQUARE CONFERENCE TABLES

ROUND/SQUARE CONFERENCE TABLES are available with Round or Square tops which must be specified on order. Round and Square conference tables ship standard with an "X" style base. The conference table base come standard with a powder coat base in any of our available paint colors. The legs on the tables are not folding.

Please add suffix to identify top shape.

TO ORDER PRODUCT, SPECIFY...

Surface

TM	Flat T-Mold edge
3MM	3MM edge
DF	DesignForm

Conference Top Shape

SQ	Square
RD	Round

Conference Leg Option

ARC	Arc Legs, add \$51 per table
-----	------------------------------

Description	Item Number	D	W	H	Price Per Item	
					TM	DF
Round and Square Conference Tables (shown with x-base)	36D	36		28 ¹ / ₂	\$899	\$1169
	42D	42		28 ¹ / ₂	\$1160	\$1509
	48D	48		28 ¹ / ₂	\$1422	\$1848



Round Conference Table

(shown with arc base)



ELEMENTS

LATERAL FILES

LATERAL FILES WITH 12" DRAWERS are used as freestanding filing units. All of the drawers roll out with steel ball bearing full extension slides. A drawer interlock allows only one drawer to be opened at a time. Security key locks ensure the drawer is locked on both sides. Leveling glides recess into the bottom and can be adjusted from the inside of the case. Plates welded to the bottom of the case reduce the risk of damage when moving the files. The 5 high lateral has a retractable drawer front on the top drawer with a fixed shelf. Retractable drawer front recedes over the top of the cabinet. The interior of the files are painted black. Side to back filing rails are included and front to back bars are available as an option.

FILING CAPABILITIES

Side to Side 30" File 27¹/₄"
 Side to Side 36" File 33¹/₄"
 Side to Side 42" File 39¹/₄"
 Front to Back 16, 3 across on 42"

TO ORDER OPTIONS, SPECIFY...

Filing Option





LFB Front to back filing bars- set of two, add \$34
 (ships standard in 2 high file)

Counterweight

LCW Counterweight, add \$169
 (ships standard in 2 high file)

Key Options

MKEY Master key, add \$51
 CRKEY Core removable key, add \$51

Description		Item Number	D	W	H	Price Per Item
2 Drawer Lateral File 12" Drawers		LS230	18	30	27 ¹ / ₂	\$880
		LS236	18	36	27 ¹ / ₂	\$966
		LS242	18	42	27 ¹ / ₂	\$1063
3 Drawer Lateral File 12" Drawers		LS330	18	30	39 ¹ / ₂	\$1187
		LS336	18	36	39 ¹ / ₂	\$1308
		LS342	18	42	39 ¹ / ₂	\$1469
4 Drawer Lateral File 12" Drawers		LS430	18	30	51 ¹ / ₂	\$1456
		LS436	18	36	51 ¹ / ₂	\$1694
		LS442	18	42	51 ¹ / ₂	\$1925
4 Drawer Lateral File 12" Drawers, 1 Retractable		LS530	18	30	67 ¹ / ₂	\$1734
		LS536	18	36	67 ¹ / ₂	\$1964
		LS542	18	42	67 ¹ / ₂	\$2253

ELEMENTS

VERTICAL FILES

VERTICAL FILES have high capacity filing capabilities. The vertical file case that is 29¹/₂" deep has 28" of filing inches from front to back in each drawer. The vertical file case that is 23¹⁵/₁₆" deep has 22" of filing inches from front to back in each drawer. Each drawer has high sides to accept hanging folders, which eliminates the need for hanging rails. Each drawer has full extension ball bearing slides. The files come standard with a core removeable lock. Security key locks ensure the drawer is locked on both sides. Leveling glides recess into the bottom and can be adjusted from the inside of the case. The interior of the file cabinets are painted black.

TO ORDER OPTIONS, SPECIFY...



Dividers

MDD Magnetic drawer divider, add \$30

Key Options

MKEY Master key, add \$51

CRKEY Core removable key, add \$51

Description	Item Number	D	W	H	Price Per Item
Letter Size Vertical Files 	VFI1122	28	15	27 ¹ / ₂	\$731
	VFI1132	28	15	39 ¹ / ₂	\$849
	VFI1142	28	15	51 ¹ / ₂	\$1013
	VFI1152	28	15	63 ¹ / ₂	\$1182
Legal Size Vertical Files 	VFI1422	28	15	27 ¹ / ₂	\$824
	VFI1432	28	15	39 ¹ / ₂	\$1114
	VFI1442	28	15	51 ¹ / ₂	\$1292
	VFI1452	28	15	63 ¹ / ₂	\$1542

ELEMENTS

STORAGE TOWERS

SINGLE DOOR STORAGE TOWER includes a hinged door shipped installed on the right side. The door can be modified in the field to a left hinge.

STORAGE TOWERS are available 24" and 30" wide and 64" high. The right side of the cabinet is configured with drawers and storage area, and the left side is wardrobe. The wardrobe has two options for hanging garments; either at the top of the unit or below an optional shelf. The storage area includes one shelf. Optional shelves are available. Two locks are standard one for the pedestal and one for the storage and wardrobe areas. The storage tower is available with a BBF or FF pedestal.

TO ORDER OPTIONS, SPECIFY...

Shelf Option Single Door Tower

TWRSH18 Tower Shelf, add \$79

Clothing or Hanging Bar Option Single Door Tower

TWRHB18 Hanging Bar, add \$79

Storage Tower Wardrobe Closet Option

TWR24CSH Closet Shelf 24" wide, add \$85

TWR30CSH Closet Shelf 30" wide, add \$107




TWR24HB Hanging Bar 24" wide, add \$85

TWR30HB Hanging Bar 30" wide, add \$107

Key Options

MKEY Master key, add \$51

CRKEY Core removable key, add \$51

Description	Item Number	D	W	H	Price Per Item
Single Door Storage Tower (shown left handed, ships from factory right handed) 	TWR18-24	24	18	67 ³ / ₈	\$998
Storage Tower 24" Deep (shown right handed, ships from factory right handed) 	TWR6424-BBF	24	24	67 ³ / ₈	\$2373
	TWR6424-FF	24	24	67 ³ / ₈	\$2315
Storage Tower 30" Deep (shown right handed, ships from factory right handed) 	TWR6430-BBF	24	30	67 ³ / ₈	\$2907
	TWR6430-FF	24	30	67 ³ / ₈	\$2841

ELEMENTS

STORAGE CABINETS

STORAGE CABINETS are manufactured with single wall construction. They have plates welded to the bottom of the case to reduce the risk of damage while moving. Storage cabinets ship standard with leveling glides. The doors are on spring loaded hinges. Shelves are adjustable in 1/2" increments. Interior components are black.

TO ORDER OPTIONS, SPECIFY...

Shelf Option Storage Cabinet or Overfiles

SCSH36 36" wide shelf, black only add \$124

Hanging Bar Option Storage Cabinet

SCHB36 36" wide hanging bar, black only add \$85


Storage Cabinet Mobil Option

SCMBL Mobile option, adds 3" to height, add \$293

Key Options

MKEY Master Key, add \$51

CRKEY Core Removable Key, add \$51

Description	Item Number	D	W	H	Price Per Item
2 High Storage Cabinet (1 adjustable shelf standard) 	SC236	18	36	27 ¹ / ₂	\$872
3 High Storage Cabinet (1 adjustable shelf standard) 	SC336	18	36	39 ¹ / ₂	\$979
4 High Storage Cabinet (2 adjustable shelves standard) 	SC436	18	36	51 ¹ / ₂	\$1181
5 High Storage Cabinet (2 adjustable shelves standard) 	SC536	18	36	67 ³ / ₈	\$1406

ELEMENTS

LATERAL FILE STORAGE CABINET COMBO, OVERFILES

LATERAL FILE/STORAGE CABINET COMBO are manufactured with single wall construction. They have plates welded to the bottom of the case to reduce the risk of damage while moving these units. They are standard with leveling glides. The doors are on spring loaded hinges. They come standard with one adjustable shelf that adjusts in 1 1/2" increments. The interior components are black. The lateral consist of 12" lateral file drawers. All of the drawers roll out with steel ball bearing full extension slides. A drawer interlock allows only one drawer to be opened at a time.

OVERFILE STORAGE CABINETS AND BOOKCASES can be used in conjunction with 18" deep lateral files and storage cabinets. There are two height options for these items, 15" and 27". The overfile storage doors are on spring loaded hinges. The 27" comes standard with one adjustable shelf.

TO ORDER OPTIONS, SPECIFY...

Shelf Option Storage Cabinet or Overfiles

SCSH Shelf, black only add \$116





Lateral Filing Bars

LFB Front to back filing bars, set of two, add \$34

Key Options

MKEY Master Key, add \$51

CRKEY Core Removable Key, add \$51

Description	Item Number	D	W	H	Price Per Item
2 Door, 2 Drawer Lateral Storage Combo (1 adjustable shelf included) 	SCLAT2	18	36	64 1/2	\$1850
3 Drawer Lateral Storage Combo (1 adjustable shelf included) 	SCLAT3	18	36	64 1/2	\$1946
Overfile Storage Cabinet (1 adjustable shelf included on 27 3/4" high cabinet) (shown SCOF2736L) 	SCOF1530L	18	30	15 1/2	\$748
	SCOF1536L	18	36	15 1/2	\$794
	SCOF1542L	18	42	15 1/2	\$838
	SCOF2730L	18	30	27 3/4	\$957
	SCOF2736L	18	36	27 3/4	\$979
	SCOF2742L	18	42	27 3/4	\$1024
Overfile Bookcase (1 adjustable shelf included on 27 3/4") (shown BKOF2736L) 	BKOF1530L	18	30	15 1/2	\$683
	BKOF1536L	18	36	15 1/2	\$712
	BKOF1542L	18	42	15 1/2	\$757
	BKOF2730L	18	30	27 3/4	\$750
	BKOF2736L	18	36	27 3/4	\$782
	BKOF2742L	18	42	27 3/4	\$831

ELEMENTS







BOOKCASES

BOOKCASES are used as freestanding units. They come standard with leveling glides and shelves that are adjustable in 1/2" increments. Bookcases are 14" deep and have various height options.

TO ORDER OPTIONS, SPECIFY...

Shelf Options

BKSH Bookcase shelf, add \$85

Description	Item Number	D	W	H	Price Per Item
30" High Bookcase (1 adjustable shelf standard) 	BK3030-14-1	14	30	27 1/2	\$495
	BK3036-14-1	14	36	27 1/2	\$518
	BK3042-14-1	14	42	27 1/2	\$557
42" High Bookcase (2 adjustable shelves standard) 	BK4230-14-2	14	30	39 1/2	\$581
	BK4236-14-2	14	36	39 1/2	\$605
	BK4242-14-2	14	42	39 1/2	\$644
48" High Bookcase (2 adjustable shelves standard) 	BK4830-14-2	14	30	48	\$638
	BK4836-14-2	14	36	48	\$653
	BK4842-14-2	14	42	48	\$709
64" High Bookcase (2 adjustable shelves standard) 	BK6430-14-3	14	30	51 1/2	\$745
	BK6436-14-3	14	36	51 1/2	\$768
	BK6442-14-3	14	42	51 1/2	\$810
72" High Bookcase (2 adjustable shelves standard) 	BK7230-14-4	14	30	68	\$781
	BK7236-14-4	14	36	68	\$816
84" High Bookcase (2 adjustable shelves standard) 	BK8430-14-5	14	30	81 1/4	\$822
	BK8436-14-5	14	36	81 1/4	\$857

ELEMENTS

FILING PRODUCT TOP OPTIONS

LATERAL FILES, STORAGE CABINETS, AND BOOKCASE TOP OPTIONS can be specified as 3MM, flat t-mold and DesignForm. 3MM tops will have a squared edge and will fit the filing products exactly. T-mold tops will have a rounded edge and will include an overhang on the front and back to allow the top to cover the entire top of the filing products. DesignForm tops will be flat on three sides and rounded on the front.

Tops ordered with Laterals, or Storage Cabinets will show as an option of the item indicated by L3MM, LLT, or LDF. Tops ordered with Bookcases will show as an option of the bookcase indicated by B3MM, BLT, or BDF. The appropriate size will be automatically selected. The price of the top will be added to the price of the filing product.

Description	Item Number	D	W	H	Price Per Item
3MM Laminate Tops (Filing and Storage)	L3MM1830	18	30	N/A	\$197
	L3MM1836	18	36	N/A	\$236
	L3MM1842	18	42	N/A	\$276
T-Mold Laminate Tops (Filing and Storage)	LLT2030	20	30	N/A	\$203
	LLT2036	20	36	N/A	\$243
	LLT2042	20	42	N/A	\$284
DesignForm Tops (Filing and Storage)	LDF1830	18	30	N/A	\$273
	LDF1836	18	36	N/A	\$329
	LDF1842	18	42	N/A	\$383
3MM Laminate Tops (Bookcases)	B3MM1430	14	30	N/A	\$142
	B3MM1436	14	36	N/A	\$170
	B3MM1442	14	42	N/A	\$198
T-Mold Laminate Tops (Bookcases)	BLT1630	16	30	N/A	\$162
	BLT1636	16	36	N/A	\$195
	BLT1642	16	42	N/A	\$227
DesignForm Tops (Bookcases)	BDF1430	14	30	N/A	\$213
	BDF1436	14	36	N/A	\$255
	BDF1442	14	42	N/A	\$298

MERIT











DOUBLE PEDESTAL DESKS

MERIT DESKS are a cost effective solution for everyday working environments. Merit ships fully assembled with a full length modesty panel. This product is handed and can not be switched in the field. The worksurfaces are standard laminate with a 3MM squared edge. Merit does not have any power capabilities or a wire management systems. Elements overshelves and corner overshelf can be used in conjunction with the Merit line. The columns will woodscrew into the worksurface so clear columns and double stack overshelves are not an option.

DOUBLE PEDESTAL DESKS ship with a BBF and a FF pedestal. Pedestals are standard with leg levelers, full width handles, and full extension slides on the drawers. Filing hardware and high side filing drawers are included. Desks come standard with one grommet in the center of the desk. The 36" deep desks provides a 6" overhang on the approach side to allow for conferencing.

DOUBLE PEDESTAL BOWFRONT DESKS ship with a BBF and a FF pedestal. Pedestals are standard with leg levelers, full width handles, and full extension slides on the drawers. Filing hardware and high side filing drawers are included. Bowfront Desk does not include any grommets.

DOUBLE PEDESTAL CREDENZA DESKS ship with two FF pedestals. Pedestals are standard with leg levelers, full width handles, and full extension slides on the drawers. Filing hardware and high side filing drawers are included. Credenza comes standard with one grommet in the center of the desk. The credenza is only available with a 24" deep worksurface.

Description	Item Number	D	W	H	Price Per Item
24" Double Pedestal Desk (shown MDP2460D)	MDP2460D	24	60	28 ¹ / ₂	\$1737
	MDP2466D	24	66	28 ¹ / ₂	\$1801
	MDP2472D	24	72	28 ¹ / ₂	\$1877
30" Double Pedestal Desk (shown MDP3060D)	MDP3060D	30	60	28 ¹ / ₂	\$1863
	MDP3066D	30	66	28 ¹ / ₂	\$1986
	MDP3072D	30	72	28 ¹ / ₂	\$2006
36" Double Pedestal Desk (shown MDP3660D)	MDP3660D	36	60	28 ¹ / ₂	\$1905
	MDP3666D	36	66	28 ¹ / ₂	\$2030
	MDP3672D	36	72	28 ¹ / ₂	\$2052
24" Double Pedestal Credenza (shown MDPC2460D)	MDPC2460D	24	60	28 ¹ / ₂	\$1703
	MDPC2466D	24	66	28 ¹ / ₂	\$1761
	MDPC2472D	24	72	28 ¹ / ₂	\$1766
Double Pedestal Bowfront Desk (shown MBF3960D)	MBF3960D	39	60	28 ¹ / ₂	\$1971
	MBF3966D	39	66	28 ¹ / ₂	\$2099
	MBF3972D	39	72	28 ¹ / ₂	\$2106

MERIT

SINGLE PEDESTAL DESKS

SINGLE PEDESTAL DESK ship with either a BBF or a FF. Please specify the direction of the pedestal with left (-L) or right (-R). Pedestals are standard with leg levelers, full width handles, and full extension slides on the drawers. Filing hardware and high side filing drawers are included. Desks comes standard with one grommet in the left or right corner of the desk, the grommet is positioned on the leg side of the desk. The 36" deep desks provides a 6" overhang on the approach side to allow for conferencing.

TO ORDER PRODUCT, SPECIFY...




Pedestal Option (Single Pedestal Desks Only)

BBF-L	Box/Box/File on Left
BBF-R	Box/Box/File on Right
FF-L	File/File on Left
FF-R	File/File on Right

TO ORDER OPTIONS, SPECIFY...

Key Options

MKEY	Master Key, add \$51
CRKEY	Core Removable Key, add \$51

Description	Item Number	D	W	H	Price Per Item
24" Deep Single Pedestal Desk (shown MSP2460D) 	MSP2442D MSP2448D MSP2460D MSP2466D MSP2472D	24 24 24 24 24	42 48 60 66 72	28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂	\$1195 \$1286 \$1402 \$1459 \$1463
30" Deep Single Pedestal Desk (shown MSP3060D) 	MSP3042D MSP3048D MSP3060D MSP3066D MSP3072D	30 30 30 30 30	42 48 60 66 72	28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂	\$1361 \$1418 \$1540 \$1569 \$1609
36" Deep Single Pedestal Desk (shown MSP3660D) 	MSP3660D MSP3666D MSP3672D	36 36 36	60 66 72	28 ¹ / ₂ 28 ¹ / ₂ 28 ¹ / ₂	\$1610 \$1640 \$1650

MERIT RETURNS

PEDESTAL SUPPORTED DESK RETURNS ship with either a BBF or a FF. Specify the direction of the pedesal with left or right. Desk comes with one grommet in the left or right corner, the grommet is positioned on the leg side of the desk, desk ordered with two end panels will have the grommet on the right. Ships with full modesty panel.

END LEG SUPPORTED DESK RETURNS ship with with full end panel leg either on the left or right side of the desk. Please specify leg either left or right. Desks come standard with one grommet in the left or right corner of the desk, and a full modesty panel. Desk returns must attach to a single pedestal desk.

MERIT BRIDGES are used to create U shape workstations. They must be specified to attach perpendicular to two other Merit desks, and ship standard with one center grommet and a half modesty panel.

CORNER CONNECTOR is used to create corner workstations. They must be specified to attach perpendicular to two other Merit desks, and ship with two grommets and a half modesty panel.

ISLAND PENINSULA DESK are used to create conferencing type workstations. They ship standard without grommets, and include two post legs and one full panel leg for support. These desks can be specified as freestanding and are handed so specify left or right.

TO ORDER PRODUCT, SPECIFY...

Pedestal Option (Single Pedestal Desks Only)

BBF-L Box/Box/File on Left
BBF-R Box/Box/File on Right
FF-L File/File on Left
FF-R File/File on Right






End Panel Option (Single Pedestal Desks Only)

EP-L End Panel on Left
EP-R End Panel on Right

TO ORDER OPTIONS, SPECIFY...

Key Options

MKEY Master Key, add \$51
CRKEY Core Removable Key, add \$51

Description	Item Number	D	W	H	Price Per Item
24" Deep Pedestal Return (shown MPR2448D-BBF-R) 	MPR2436D MPR2442D MPR2448D MPR2460D	24 24 24 24	36 42 48 60	28 1/2 28 1/2 28 1/2 28 1/2	\$1231 \$1270 \$1289 \$1378
30" Deep End Pedestal Return (shown MPR3048D-FF-R) 	MLR2436D MLR2442D MLR2448D	24 24 24	36 42 48	28 1/2 28 1/2 28 1/2	\$586 \$614 \$632
24" Deep Bridge (shown MB2448D) 	MB2436D MB2442D MB2448D	24 24 24	36 42 48	28 1/2 28 1/2 28 1/2	\$294 \$309 \$324
Corner Connector (shown MCC3624D) 	MCC3624D	24	36	28 1/2	\$725
Island Peninsula Desk (shown ICP4272D-L) 	MICP4272D-(L/R)	42	72	28 1/2	\$1094

MARCH 2017

03.31.17